



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

BIG BLOW DRY VOLUMIZING GEL

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: May 7, 2007
REVISION DATE:
SUPERSEDES:
FORMULA: AM54-4-4
PREPARED AND REVISED BY: Jeff Staten
GENERIC/CHEMICAL NAME: Gel
PRODUCT TYPE/CHEMICAL FAMILY: NA
PRODUCT CODE: 15GEL02; 15GEL08; 15GEL-CA; 15GEL16; 05FOILBSHGEL
SYNONYMS: None
CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: ND

AUTOIGNITION TEMPERATURE: ND

FLAMMABILITY LIMITS IN AIR (% V): ND

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: ND

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Color free, hazy, viscous gel.

STATE: Liquid

ODOR: Floral

PERCENT VOLATILE: ND

SPECIFIC GRAVITY: about 1.00
VISCOSITY: ND
EVAPORATION RATE: ND
VAPOR PRESSURE mm Hg @ 20°C: ND
BOILING POINT: ND
VAPOR DENSITY (Air=1): ND
SOLUBILITY IN WATER: Soluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: None
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: None known
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None Known

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Blow Dry Volumizing Gel
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	Blow Dry Volumizing Gel
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Blow Dry Volumizing Gel
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME: Blow Dry Volumizing Gel
IMDG HAZARD CLASS: None
IMDG LABELS REQUIRED: None
IMDG SECONDARY LABELS REQUIRED: None
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Blow Dry Volumizing Gel
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: None
EMS NUMBER: None
MFAG NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER: None
UN/NA CODE: None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-); Acute and Fire Hazard Ethane,1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists
CAS# - Chemical Abstract System No.
DOT -Department Of Transportation
IMDG - International Maritime Dangerous Goods code

NA - Not Applicable
ND - Not Determined
NFPA - National Fire Protection Association
OSHA - Occupational Safety and Health Administration
PEL - Permissible Exposure Limits
ppm - Parts Per Million
PMCC - Pensky-Martin Closed Cup (flash point)
SARA - Superfund Amendments and Reauthorization Act Title I, II, III
TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

BIG DENSE THICKENING SPRAY

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: May 2, 2007

REVISION DATE:

SUPERSEDES:

FORMULA: TEL0M11/ L33370

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Hair Spray

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 15DENSE08

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Ethanol	64-17-5	35.6	1000	1000

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation, and may result in irreversible damage.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: Concentrate 36°F (EPA Method 1010)

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): LEL=1.8%; UEL=9.5%

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers may rupture and release flammable liquids and /or gasses if exposed to the heat of fire.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear –SLT Hazy Liquid, Light Straw

STATE: Liquid

ODOR: Characteristic

PERCENT VOLATILE: 55 %

SPECIFIC GRAVITY: 0.904-0.924 @ 20°C

VISCOSITY: NA

EVAPORATION RATE, >1

VAPOR PRESSURE mm Hg @ 20°C: NA

BOILING POINT: 173°F

VAPOR DENSITY (Air=1): >1

SOLUBILITY IN WATER: Soluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120°F.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Not Applicable

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None Known

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Consumer Commodity
U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	NAERG# 171

IATA PROPER SHIPPING NAME:	Consumer Commodity ORM-D (Domestic) Ethyl Alcohol Solution, UN1170, PG II (Export)
IATA HAZARD CLASS:	3
IATA LABELS REQUIRED:	Consumer Commodity ORM-D-AIR (Domestic)

BILL OF LADING DESCRIPTION:	Flammable Liquid Consumer Commodity ORM-D-AIR, 3, UN1170 (Domestic)
UN/NA CODE:	Ethanol Solution, 3, UN1170, PG II (Export) NA (Domestic) UN1170 (Export)
PACKING INSTRUCTIONS:	305 (Domestic) Y305 (Export) Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Ethyl Alcohol Solution
IMDG HAZARD CLASS:	3
IMDG LABELS REQUIRED:	Flammable Liquids
IMDG SECONDARY LABELS REQUIRED:	NA
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Ethyl Alcohol Solution, 3, UN1170, PGII
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMS NUMBER:	3-06
MFAG NUMBER:	144
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	47, Volume 2
UN/NA CODE:	UN1170

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute and Fire Hazard (Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	4	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

BIG EXTRA BIG VOLUME SHAMPOO

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: June 26, 2007

REVISION DATE:

SUPERSEDES:

FORMULA: AM55-66H-1

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Shampoo

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 15SHAEXTRA02; 15SHAEXTRA10; 15SHAEXTRA128;

15SHAEXTRA13; 15SHAEXTRA33; 05FOILBSHSHAEXT; 05FOILBSHSHAEXT-NC

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: ND

AUTOIGNITION TEMPERATURE: ND

FLAMMABILITY LIMITS IN AIR (% V): ND

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: ND

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Color free, hazy, viscous gel.

STATE: Liquid

ODOR: Floral

PERCENT VOLATILE: ND

SPECIFIC GRAVITY: about 0.99

VISCOSITY: ND

EVAPORATION RATE: ND

VAPOR PRESSURE mm Hg @ 20°C: ND

BOILING POINT: ND

VAPOR DENSITY (Air=1): ND

SOLUBILITY IN WATER: Soluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: None

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: None known

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None Known

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Big Extra Big Volume Shampoo
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	Big Extra Big Volume Shampoo
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Big Extra Big Volume Shampoo
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

EMERGENCY RESPONSE NUMBERS:

CHEMTREC:

Domestic North America 800-424-9300

International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:

Big Extra Big Volume Shampoo

IMDG HAZARD CLASS:

None

IMDG LABELS REQUIRED:

None

IMDG SECONDARY LABELS REQUIRED:

None

IMDG PLACARDS REQUIRED:

None

BILL OF LADING DESCRIPTION:

Big Extra Big Volume Shampoo

MARINE POLLUTANT:

No

EMERGENCY RESPONSE GUIDE NUMBER:

None

EMS NUMBER:

None

MFAG NUMBER:

None

EMERGENCY RESPONSE NUMBERS:

CHEMTREC:

Domestic North America 800-424-9300

International: 01-703-527-3887 (Collect calls accepted)

IMDG PAGE NUMBER:

None

UN/NA CODE:

None

Section XV - REGULATORY INFORMATION**TSCA:** Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory**SARA TITLE III, Section 311-312:** Acute, Fire, Sudden Release (Ethane, 1,1-Difluoro-); Acute and Fire Hazard Ethane, 1,1-Difluoro-, Ethanol)**SARA TITLE III, Section 313:** None noted**CALIFORNIA PROPOSITION 65:** Not Regulated**Section XVI - OTHER INFORMATION****HAZARD RATING SYSTEMS:** This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

BIG FLIP IT OVER

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: March 1, 2006

REVISION DATE:

SUPERSEDES:

FORMULA: 110-98A

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Texture Spray

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 15FLIP04; 15FLIP04-HW

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Ethanol	64-17-5	35.6	1000	1000
Hydrofluorocarbon 152a	75-37-6	50.0	1000	ND

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation, and may result in irreversible damage.

SKIN CONTACT: Repeated contact may cause irritation and drying of the skin. Contact with propellant may cause freeze burns.

INHALATION: Vapor may cause irritation to the upper respiratory tract.

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: < 73°F TCC

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): Not known.

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Fire should be fought from a safe distance. Keep containers cool by spraying them with water until the fire has been extinguished.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers may rupture and release flammable liquids and /or gasses if exposed to the heat of fire.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: 180 psig @ 131°F Max

LOADING/UNLOADING TEMPERATURE: Ambient

WORK AND HYGIENE PRACTICES: Wash hands thoroughly after using this product and before eating, drinking, or smoking.

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required when used with adequate ventilation.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Thin, liquid spray.

STATE: Aerosol

ODOR: Characteristic

PERCENT VOLATILE: Approx. 86%

SPECIFIC GRAVITY: 0.885 (prior to addition of propellant)

VISCOSITY: Aerosol @ ambient

EVAPORATION RATE, >1

VAPOR PRESSURE mm Hg @ 20°C: Can pressure not to exceed 180 psig @ 131°F

BOILING POINT: Unknown

VAPOR DENSITY (Air=1): >1

SOLUBILITY IN WATER: Soluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120°F.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Not Applicable

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Strong oxidizing agents.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible. Dispose of in accordance with federal, state and local regulations.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Consumer Commodity
U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	NAERG# 171

IATA PROPER SHIPPING NAME:	Consumer Commodity ORM-D (Domestic) Aerosols, Flammable, N.O.S., UN1950 (Export)
IATA HAZARD CLASS:	2.1

IATA LABELS REQUIRED:	Consumer Commodity ORM-D-AIR (Domestic) Flammable Gas (Export)
BILL OF LADING DESCRIPTION:	Consumer Commodity ORM-D-AIR, 9, ID8000 (Domestic) Aerosols, Flammable, N.O.S., 2.1, UN1950 (Export)
UN/NA CODE:	NA (Domestic) UN1950 (Export)
PACKING INSTRUCTIONS:	910 (Domestic) 203/Y203 (Export) Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Aerosols
IMDG HAZARD CLASS:	2.1
IMDG LABELS REQUIRED:	CARTON MUST BE MARKED "AEROSOLS"
IMDG SECONDARY LABELS REQUIRED:	Hollow Diamond with UN1950 Marked in Center
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Aerosol, 2, UN1950
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMS NUMBER:	2-13
MFAG NUMBER:	620
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	2102
UN/NA CODE:	UN1950

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Dimethyl Ether DME); Acute and Fire
Hazard (Dimethyl Ether DME, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings
Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection
Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	4	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397

Shipping Address:

20621 Prairie Avenue

Chatsworth, CA 91311

(818) 435-0800

BIG ROOT PUMP PLUS SPRAY MOUSSE (US/CANADA)

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: March 27, 2007

REVISION DATE:

SUPERSEDES:

FORMULA: TEL1N11/ L35906 (6% VOC)

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Spray Mousse

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 15PUMPPLUS02; 15PUMPPLUS10; 15PUMPPLUS10-CA; 15PUMPPLUS10-6V; 15PUMPPLUS10-6VHW

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Dimethyl Ether	115-10-6	4.0	1000	ND
Isopentane	78-78-4	2.0	600	ND
Hydrofluorocarbon 152a	75-37-6	10.0	1000	ND

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation, and may result in irreversible damage.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: -30°F TCC (Propellant Only)

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): LEL=1.8%; UEL=9.5%

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers may rupture and release flammable liquids and /or gasses if exposed to the heat of fire.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: 180 psig @ 131°F Max

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: SLT Hazy Liquid

STATE: Aerosol

ODOR: Characteristic

PERCENT VOLATILE: 6%

SPECIFIC GRAVITY: 1.03 - 1.05 @ 20°C

VISCOSITY: Aerosol @ ambient

EVAPORATION RATE, >1

VAPOR PRESSURE mm Hg @ 20°C: Can pressure not to exceed 180 psig @ 131°F

BOILING POINT: 173°F

VAPOR DENSITY (Air=1): >1

SOLUBILITY IN WATER: Soluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120°F.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Not Applicable

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None Known

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME: Consumer Commodity

U. S. DOT HAZARD CLASS: ORM-D
U. S. DOT LABELS REQUIRED: None
U. S. DOT PLACARDS REQUIRED: None
EMERGENCY RESPONSE GUIDE NUMBER: NAERG# 171

IATA PROPER SHIPPING NAME: Consumer Commodity ORM-D (Domestic)
Aerosols, Flammable, N.O.S., UN1950 (Export)
IATA HAZARD CLASS: 2.1
IATA LABELS REQUIRED: Consumer Commodity ORM-D-AIR (Domestic)
Flammable Gas (Export)
BILL OF LADING DESCRIPTION: Consumer Commodity ORM-D-AIR, 9, ID8000
(Domestic)
Aerosols, Flammable, N.O.S., 2.1, UN1950 (Export)
UN/NA CODE: NA (Domestic)
UN1950 (Export)
PACKING INSTRUCTIONS: 910 (Domestic)
203/Y203 (Export)
Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER: 126
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls
accepted)

IMDG PROPER SHIPPING NAME: Aerosols
IMDG HAZARD CLASS: 2.1
IMDG LABELS REQUIRED: **CARTON MUST BE MARKED "AEROSOLS"**
IMDG SECONDARY LABELS REQUIRED: **Hollow Diamond with UN1950 Marked in Center**
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Aerosol, 2, UN1950
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: 126
EMS NUMBER: 2-13
MFAG NUMBER: 620
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls
accepted)
IMDG PAGE NUMBER: 2102
UN/NA CODE: UN1950

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Dimethyl Ether, DME,
Isobutane/Propane); Acute and Fire Hazard (Dimethyl Ether, DME, Isobutane/ Propane)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings
Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection
Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	4	NA	3=Serious/High
REACTIVITY	1	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

BIG ROOT PUMP PLUS SPRAY MOUSSE (US/CANADA)

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: March 27, 2007

REVISION DATE:

SUPERSEDES:

FORMULA: TEL1N11/ L35906 (6% VOC)

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Spray Mousse

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 15PUMPPLUS02; 15PUMPPLUS10; 15PUMPPLUS10-CA; 15PUMPPLUS10-6V; 15PUMPPLUS10-6VHW

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Dimethyl Ether	115-10-6	4.0	1000	ND
Isopentane	78-78-4	2.0	600	ND
Hydrofluorocarbon 152a	75-37-6	10.0	1000	ND

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation, and may result in irreversible damage.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: -30°F TCC (Propellant Only)

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): LEL=1.8%; UEL=9.5%

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers may rupture and release flammable liquids and /or gasses if exposed to the heat of fire.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: 180 psig @ 131°F Max

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions.
Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: SLT Hazy Liquid

STATE: Aerosol

ODOR: Characteristic

PERCENT VOLATILE: 6%

SPECIFIC GRAVITY: 1.03 - 1.05 @ 20°C

VISCOSITY: Aerosol @ ambient

EVAPORATION RATE, >1

VAPOR PRESSURE mm Hg @ 20°C: Can pressure not to exceed 180 psig @ 131°F

BOILING POINT: 173°F

VAPOR DENSITY (Air=1): >1

SOLUBILITY IN WATER: Soluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120°F.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Not Applicable

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None Known

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME: Consumer Commodity

U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	NAERG# 171
<hr/>	
IATA PROPER SHIPPING NAME:	Consumer Commodity ORM-D (Domestic) Aerosols, Flammable, N.O.S., UN1950 (Export)
IATA HAZARD CLASS:	2.1
IATA LABELS REQUIRED:	Consumer Commodity ORM-D-AIR (Domestic) Flammable Gas (Export)
BILL OF LADING DESCRIPTION:	Consumer Commodity ORM-D-AIR, 9, ID8000 (Domestic) Aerosols, Flammable, N.O.S., 2.1, UN1950 (Export)
UN/NA CODE:	NA (Domestic) UN1950 (Export)
PACKING INSTRUCTIONS:	910 (Domestic) 203/Y203 (Export) Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
<hr/>	
IMDG PROPER SHIPPING NAME:	Aerosols
IMDG HAZARD CLASS:	2.1
IMDG LABELS REQUIRED:	CARTON MUST BE MARKED "AEROSOLS"
IMDG SECONDARY LABELS REQUIRED:	Hollow Diamond with UN1950 Marked in Center
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Aerosol, 2, UN1950
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMS NUMBER:	2-13
MFAG NUMBER:	620
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	2102
UN/NA CODE:	UN1950

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Dimethyl Ether, DME, Isobutane/Propane); Acute and Fire Hazard (Dimethyl Ether, DME, Isobutane/ Propane)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

BIG ROOT PUMP SPRAY MOUSSE US/CANADA

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: March 27, 2007

REVISION DATE:

SUPERSEDES:

FORMULA: TEL1M21/ L35852 (6% VOC)

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Spray Mousse

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 15ROOT02; 15ROOT10; 15ROOT10-CA; 15ROOT10-6V; 15ROOT10-6VHW

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Dimethyl Ether	115-10-6	4.0	1000	ND
Isopentane	78-78-4	2.0	600	ND
Hydrofluorocarbon 152a	75-37-6	10.0	1000	ND

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation, and may result in irreversible damage.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: -30°F TCC (Propellant Only)

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): LEL=1.8%; UEL=9.5%

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers may rupture and release flammable liquids and /or gasses if exposed to the heat of fire.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: 180 psig @ 131°F Max

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions.
Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Hazy SLT Viscous Liquid

STATE: Aerosol

ODOR: Characteristic

PERCENT VOLATILE: 16 %

SPECIFIC GRAVITY: 1.00 -1.02 @ 20°C

VISCOSITY: Aerosol @ ambient

EVAPORATION RATE, >1

VAPOR PRESSURE mm Hg @ 20°C: Can pressure not to exceed 180 psig @ 131°F

BOILING POINT: 173°F

VAPOR DENSITY (Air=1): >1

SOLUBILITY IN WATER: Soluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120°F.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Not Applicable

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None Known

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Consumer Commodity
U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	NAERG# 171

IATA PROPER SHIPPING NAME:	Consumer Commodity ORM-D (Domestic)
-----------------------------------	-------------------------------------

IATA HAZARD CLASS:	Aerosols, Flammable, N.O.S., UN1950 (Export)
IATA LABELS REQUIRED:	2.1
BILL OF LADING DESCRIPTION:	Consumer Commodity ORM-D-AIR (Domestic) Flammable Gas (Export) Consumer Commodity ORM-D-AIR, 9, ID8000 (Domestic) Aerosols, Flammable, N.O.S., 2.1, UN1950 (Export)
UN/NA CODE:	NA (Domestic) UN1950 (Export)
PACKING INSTRUCTIONS:	910 (Domestic) 203/Y203 (Export) Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Aerosols
IMDG HAZARD CLASS:	2.1
IMDG LABELS REQUIRED:	CARTON MUST BE MARKED "AEROSOLS"
IMDG SECONDARY LABELS REQUIRED:	Hollow Diamond with UN1950 Marked in Center
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Aerosol, 2, UN1950
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMS NUMBER:	2-13
MFAG NUMBER:	620
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	2102
UN/NA CODE:	UN1950

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Dimethyl Ether, DME, Isobutane, Propane); Acute and Fire Hazard (Dimethyl Ether, DME, Isobutane, Propane)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

NPCA-HMIS		NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	4	NA	3=Serious/High
REACTIVITY	1	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

BIG ROOT PUMP SPRAY MOUSSE US/CANADA

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: March 27, 2007

REVISION DATE:

SUPERSEDES:

FORMULA: TEL1M21/ L35852 (6% VOC)

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Spray Mousse

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 15ROOT02; 15ROOT10; 15ROOT10-CA; 15ROOT10-6V; 15ROOT10-6VHW

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Dimethyl Ether	115-10-6	4.0	1000	ND
Isopentane	78-78-4	2.0	600	ND
Hydrofluorocarbon 152a	75-37-6	10.0	1000	ND

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation, and may result in irreversible damage.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: -30°F TCC (Propellant Only)

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): LEL=1.8%; UEL=9.5%

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers may rupture and release flammable liquids and /or gasses if exposed to the heat of fire.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: 180 psig @ 131°F Max

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions.
Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Hazy SLT Viscous Liquid

STATE: Aerosol

ODOR: Characteristic

PERCENT VOLATILE: 16 %

SPECIFIC GRAVITY: 1.00 -1.02 @ 20°C

VISCOSITY: Aerosol @ ambient

EVAPORATION RATE, >1

VAPOR PRESSURE mm Hg @ 20°C: Can pressure not to exceed 180 psig @ 131°F

BOILING POINT: 173°F

VAPOR DENSITY (Air=1): >1

SOLUBILITY IN WATER: Soluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120°F.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Not Applicable

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None Known

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Consumer Commodity
U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	NAERG# 171

IATA PROPER SHIPPING NAME:	Consumer Commodity ORM-D (Domestic)
-----------------------------------	-------------------------------------

IATA HAZARD CLASS:	Aerosols, Flammable, N.O.S., UN1950 (Export)
IATA LABELS REQUIRED:	2.1
	Consumer Commodity ORM-D-AIR (Domestic)
	Flammable Gas (Export)
BILL OF LADING DESCRIPTION:	Consumer Commodity ORM-D-AIR, 9, ID8000 (Domestic)
	Aerosols, Flammable, N.O.S., 2.1, UN1950 (Export)
UN/NA CODE:	NA (Domestic)
	UN1950 (Export)
PACKING INSTRUCTIONS:	910 (Domestic)
	203/Y203 (Export)
	Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMERGENCY RESPONSE NUMBERS:	CHEMTREC:
	Domestic North America 800-424-9300
	International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Aerosols
IMDG HAZARD CLASS:	2.1
IMDG LABELS REQUIRED:	CARTON MUST BE MARKED "AEROSOLS"
IMDG SECONDARY LABELS REQUIRED:	Hollow Diamond with UN1950 Marked in Center
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Aerosol, 2, UN1950
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMS NUMBER:	2-13
MFAG NUMBER:	620
EMERGENCY RESPONSE NUMBERS:	CHEMTREC:
	Domestic North America 800-424-9300
	International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	2102
UN/NA CODE:	UN1950

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Dimethyl Ether, DME, Isobutane, Propane); Acute and Fire Hazard (Dimethyl Ether, DME, Isobutane, Propane)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	4	NA	3=Serious/High
REACTIVITY	1	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

BIG ROOT PUMP SPRAY MOUSSE US/CANADA

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: March 27, 2007

REVISION DATE:

SUPERSEDES:

FORMULA: TEL1M21/ L35852 (6% VOC)

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Spray Mousse

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 15ROOT02; 15ROOT10; 15ROOT10-CA; 15ROOT10-6V; 15ROOT10-6VHW

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Dimethyl Ether	115-10-6	4.0	1000	ND
Isopentane	78-78-4	2.0	600	ND
Hydrofluorocarbon 152a	75-37-6	10.0	1000	ND

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation, and may result in irreversible damage.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: -30°F TCC (Propellant Only)

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): LEL=1.8%; UEL=9.5%

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers may rupture and release flammable liquids and /or gasses if exposed to the heat of fire.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: 180 psig @ 131°F Max

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions.
Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Hazy SLT Viscous Liquid
STATE: Aerosol
ODOR: Characteristic
PERCENT VOLATILE: 16 %
SPECIFIC GRAVITY: 1.00 -1.02 @ 20°C
VISCOSITY: Aerosol @ ambient
EVAPORATION RATE, >1
VAPOR PRESSURE mm Hg @ 20°C: Can pressure not to exceed 180 psig @ 131°F
BOILING POINT: 173°F
VAPOR DENSITY (Air=1): >1
SOLUBILITY IN WATER: Soluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120°F.
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Not Applicable
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None Known

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Consumer Commodity
U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	NAERG# 171

IATA PROPER SHIPPING NAME:	Consumer Commodity ORM-D (Domestic)
-----------------------------------	-------------------------------------

IATA HAZARD CLASS:	Aerosols, Flammable, N.O.S., UN1950 (Export)
IATA LABELS REQUIRED:	2.1
	Consumer Commodity ORM-D-AIR (Domestic)
	Flammable Gas (Export)
BILL OF LADING DESCRIPTION:	Consumer Commodity ORM-D-AIR, 9, ID8000 (Domestic)
	Aerosols, Flammable, N.O.S., 2.1, UN1950 (Export)
UN/NA CODE:	NA (Domestic)
	UN1950 (Export)
PACKING INSTRUCTIONS:	910 (Domestic)
	203/Y203 (Export)
	Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMERGENCY RESPONSE NUMBERS:	CHEMTREC:
	Domestic North America 800-424-9300
	International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Aerosols
IMDG HAZARD CLASS:	2.1
IMDG LABELS REQUIRED:	CARTON MUST BE MARKED "AEROSOLS"
IMDG SECONDARY LABELS REQUIRED:	Hollow Diamond with UN1950 Marked in Center
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Aerosol, 2, UN1950
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMS NUMBER:	2-13
MFAG NUMBER:	620
EMERGENCY RESPONSE NUMBERS:	CHEMTREC:
	Domestic North America 800-424-9300
	International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	2102
UN/NA CODE:	UN1950

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory

SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Dimethyl Ether, DME, Isobutane, Propane); Acute and Fire Hazard (Dimethyl Ether, DME, Isobutane, Propane)

SARA TITLE III, Section 313: None noted

CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	4	NA	3=Serious/High
REACTIVITY	1	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397

Shipping Address:

20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

BIG SHINE SPRAY

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: February 22, 2006

REVISION DATE:

SUPERSEDES:

FORMULA: AC-4-10

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Shine Spray

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 15SHINE02

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 01-703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Ethanol	64-17-5	35.6	1000	1000
Octylmethyclotetrasiloxane	75-37-6	50.0	None Established	

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation, and may result in irreversible damage.

SKIN CONTACT: Prolonged contact may irritate skin.

INHALATION: Overexposure by inhalation may injure reproductive system.

INGESTION: If ingested, may cause nausea and vomiting.

SENSITIZER: Not a known sensitizer.

DOT CORROSIVE: No.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: 15 - 50°C

AUTOIGNITION TEMPERATURE: Not Determined

FLAMMABILITY LIMITS IN AIR (% V): Not known – Flammable avoid ignition.

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Water

SPECIAL FIRE FIGHTING PROCEDURES: Self contained breathing apparatus and protective clothing.

UNUSUAL FIRE & EXPLOSION HAZARDS: Flammable avoid ignition. Vapors heavier than air, possible flash back.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: N/A

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required. If vapors are generated, respirator is required.
VENTILATION: Use only with adequate ventilation. Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice. Goggles.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed. Observe ordinary measures of personal hygiene.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Colorless Clear Liquid

STATE: Liquid

ODOR: Faint herbal

PERCENT VOLATILE: Approx. 93% as octamethylcyclotetrasiloxane & ethanol

SPECIFIC GRAVITY: 0.95

VISCOSITY: Liquid

EVAPORATION RATE, Unknown

VAPOR PRESSURE mm Hg @ 20°C: N/A

BOILING POINT: N/A

VAPOR DENSITY (Air=1): <1

SOLUBILITY IN WATER: Insoluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120°F.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Not Applicable

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Oxidizing materials.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Consumer Commodity
U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	NAERG# 171

IATA PROPER SHIPPING NAME:	Consumer Commodity ORM-D (Domestic) Ethyl Alcohol Solution, UN1170, PG II (Export)
IATA HAZARD CLASS:	3
IATA LABELS REQUIRED:	Consumer Commodity ORM-D-AIR (Domestic) Flammable Liquid
BILL OF LADING DESCRIPTION:	Consumer Commodity ORM-D-AIR, 3, UN1170 (Domestic) Ethanol Solution, 3, UN1170, PG II (Export)
UN/NA CODE:	NA (Domestic) UN1170 (Export)
PACKING INSTRUCTIONS:	305 (Domestic) Y305 (Export) Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Ethyl Alcohol Solution
IMDG HAZARD CLASS:	3
IMDG LABELS REQUIRED:	Flammable Liquids
IMDG SECONDARY LABELS REQUIRED:	NA
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Ethyl Alcohol Solution, 3, UN1170, PGII
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMS NUMBER:	3-06
MFAG NUMBER:	144
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	47, Volume 2
UN/NA CODE:	UN1170

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Dimethyl Ether DME); Acute and Fire Hazard (Dimethyl Ether DME, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	3	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397

Shipping Address:

20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

BIG SHINE SPRAY

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: February 22, 2006

REVISION DATE:

SUPERSEDES:

FORMULA: AC-4-10

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Shine Spray

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 15SHINE02

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 01-703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Ethanol	64-17-5	35.6	1000	1000
Octylmethyclotetrasiloxane	75-37-6	50.0	None Established	

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation, and may result in irreversible damage.

SKIN CONTACT: Prolonged contact may irritate skin.

INHALATION: Overexposure by inhalation may injure reproductive system.

INGESTION: If ingested, may cause nausea and vomiting.

SENSITIZER: Not a known sensitizer.

DOT CORROSIVE: No.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: 15 - 50°C

AUTOIGNITION TEMPERATURE: Not Determined

FLAMMABILITY LIMITS IN AIR (% V): Not known – Flammable avoid ignition.

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Water

SPECIAL FIRE FIGHTING PROCEDURES: Self contained breathing apparatus and protective clothing.

UNUSUAL FIRE & EXPLOSION HAZARDS: Flammable avoid ignition. Vapors heavier than air, possible flash back.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: N/A

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required. If vapors are generated, respirator is required.
VENTILATION: Use only with adequate ventilation. Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice. Goggles.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed. Observe ordinary measures of personal hygiene.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Colorless Clear Liquid

STATE: Liquid

ODOR: Faint herbal

PERCENT VOLATILE: Approx. 93% as octamethylcyclotetrasiloxane & ethanol

SPECIFIC GRAVITY: 0.95

VISCOSITY: Liquid

EVAPORATION RATE, Unknown

VAPOR PRESSURE mm Hg @ 20°C: N/A

BOILING POINT: N/A

VAPOR DENSITY (Air=1): <1

SOLUBILITY IN WATER: Insoluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120°F.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Not Applicable

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Oxidizing materials.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Consumer Commodity
U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	NAERG# 171

IATA PROPER SHIPPING NAME:	Consumer Commodity ORM-D (Domestic) Ethyl Alcohol Solution, UN1170, PG II (Export)
IATA HAZARD CLASS:	3
IATA LABELS REQUIRED:	Consumer Commodity ORM-D-AIR (Domestic) Flammable Liquid
BILL OF LADING DESCRIPTION:	Consumer Commodity ORM-D-AIR, 3, UN1170 (Domestic) Ethanol Solution, 3, UN1170, PG II (Export)
UN/NA CODE:	NA (Domestic) UN1170 (Export)
PACKING INSTRUCTIONS:	305 (Domestic) Y305 (Export) Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Ethyl Alcohol Solution
IMDG HAZARD CLASS:	3
IMDG LABELS REQUIRED:	Flammable Liquids
IMDG SECONDARY LABELS REQUIRED:	NA
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Ethyl Alcohol Solution, 3, UN1170, PGII
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMS NUMBER:	3-06
MFAG NUMBER:	144
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	47, Volume 2
UN/NA CODE:	UN1170

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Dimethyl Ether DME); Acute and Fire Hazard (Dimethyl Ether DME, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	3	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

BIG SO PUMPED VOLUMIZING MIST

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: May 2, 2007

REVISION DATE:

SUPERSEDES:

FORMULA: AM84-50D

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Volumizing Styling Spray

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 15SOPUMPED01; 15SOPUMPED05; 15SOPUMPED05-NC

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Ethanol	64-17-5	4.0	1000	1000

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation, and may result in irreversible damage.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, seek medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard. If symptoms persist, seek medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: If this occurs give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. If symptoms persist, seek medical attention.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: ND

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): ND

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers may rupture and release flammable liquids and /or gasses if exposed to the heat of fire.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions.
Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Milky white semi viscous liquid.

STATE: Liquid

ODOR: Fruity

PERCENT VOLATILE: NA

SPECIFIC GRAVITY: 0.98

VISCOSITY: ND

EVAPORATION RATE: ND

VAPOR PRESSURE mm Hg @ 20°C: ND

BOILING POINT: ND

VAPOR DENSITY (Air=1): ND

SOLUBILITY IN WATER: Soluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120°F.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Not Applicable

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None Known

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME: Consumer Commodity

U. S. DOT HAZARD CLASS: ORM-D

U. S. DOT LABELS REQUIRED: None

U. S. DOT PLACARDS REQUIRED: None

EMERGENCY RESPONSE GUIDE NUMBER: NAERG# 171

IATA PROPER SHIPPING NAME: Consumer Commodity ORM-D (Domestic)
Ethyl Alcohol Solution, UN1170, PG II (Export)

IATA HAZARD CLASS: 3

IATA LABELS REQUIRED: Consumer Commodity ORM-D-AIR (Domestic)
Flammable Liquid

BILL OF LADING DESCRIPTION: Consumer Commodity ORM-D-AIR, 3, UN1170 (Domestic)
Ethanol Solution, 3, UN1170, PG II (Export)

UN/NA CODE: NA (Domestic)
UN1170 (Export)

PACKING INSTRUCTIONS: 305 (Domestic)
Y305 (Export)
Authorization: Limited Quantity

EMERGENCY RESPONSE GUIDE NUMBER: 126

EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME: Ethyl Alcohol Solution

IMDG HAZARD CLASS: 3

IMDG LABELS REQUIRED: Flammable Liquids

IMDG SECONDARY LABELS REQUIRED: NA

IMDG PLACARDS REQUIRED: None

BILL OF LADING DESCRIPTION: Ethyl Alcohol Solution, 3, UN1170, PGII

MARINE POLLUTANT: No

EMERGENCY RESPONSE GUIDE NUMBER: 126

EMS NUMBER: 3-06

MFAG NUMBER: 144

EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)

IMDG PAGE NUMBER: 47, Volume 2

UN/NA CODE: UN1170

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory

SARA TITLE III, Section 311-312: Acute and Fire Hazard (Ethanol)

SARA TITLE III, Section 313: None noted

CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	2	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate

1=Slight/Slight
0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397

Shipping Address:

20621 Prairie Avenue

Chatsworth, CA 91311

(818) 435-0800

BIG SPRAY & PLAY HARDER HAIR SPRAY US/CANADA

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: March 27, 2007

REVISION DATE:

SUPERSEDES:

FORMULA: TEL0A01/ L33369B 55% VOC

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Hair Spray

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 15SPRAYHARD10, 15SPRAYHARD10-HW; 15SPRAYHARD14;

15SPRAYHARD14-A; 15SPRAYHARD14-HW

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Ethanol	64-17-5	55.0	1000	1000
Hydrofluorocarbon 152a	75-37-6	38.5	1000	ND
Aminomethyl Propanol	124-68-5	1.0	None Established	

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation, and may result in irreversible damage.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Get medical attention.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: -30°F TCC (Propellant Only); Concentrate 36°F (EPA Method 1010)

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): LEL=1.8%; UEL=9.5%

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers may rupture and release flammable liquids and /or gasses if exposed to the heat of fire.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: 180 psig @ 131°F Max

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions.
Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Transparent Liquid
STATE: Aerosol
ODOR: Ginger Essence
PERCENT VOLATILE: ND
SPECIFIC GRAVITY: 0.826 – 0.846
VISCOSITY: Aerosol @ ambient
EVAPORATION RATE, >1
VAPOR PRESSURE mm Hg @ 20°C: Can pressure not to exceed 180 psig @ 131°F
BOILING POINT: Unknown
VAPOR DENSITY (Air=1): >1
SOLUBILITY IN WATER: Soluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120°F.
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Not Applicable
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None Known.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Consumer Commodity
U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	NAERG# 171

IATA PROPER SHIPPING NAME:	Consumer Commodity ORM-D (Domestic) Aerosols, Flammable, N.O.S., UN1950 (Export)
-----------------------------------	---

IATA HAZARD CLASS:	2.1
IATA LABELS REQUIRED:	Consumer Commodity ORM-D-AIR (Domestic) Flammable Gas (Export)
BILL OF LADING DESCRIPTION:	Consumer Commodity ORM-D-AIR, 9, ID8000 (Domestic)
UN/NA CODE:	Aerosols, Flammable, N.O.S., 2.1, UN1950 (Export) NA (Domestic)
PACKING INSTRUCTIONS:	UN1950 (Export) 910 (Domestic) 203/Y203 (Export) Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Aerosols
IMDG HAZARD CLASS:	2.1
IMDG LABELS REQUIRED:	CARTON MUST BE MARKED "AEROSOLS"
IMDG SECONDARY LABELS REQUIRED:	Hollow Diamond with UN1950 Marked in Center
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Aerosol, 2, UN1950
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMS NUMBER:	2-13
MFAG NUMBER:	620
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	2102
UN/NA CODE:	UN1950

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Dimethyl Ether DME); Acute and Fire
Hazard (Dimethyl Ether DME, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings
Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection
Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	4	NA	3=Serious/High
REACTIVITY	1	NA	2=Moderate/Moderate
			1=Slight/Slight

0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists
CAS# - Chemical Abstract System No.
DOT -Department Of Transportation
IMDG - International Maritime Dangerous Goods code
NA - Not Applicable
ND - Not Determined
NFPA - National Fire Protection Association
OSHA - Occupational Safety and Health Administration
PEL - Permissible Exposure Limits
ppm - Parts Per Million
PMCC - Pensky-Martin Closed Cup (flash point)
SARA - Superfund Amendments and Reauthorization Act Title I, II, III
TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

BIG SPRAY & PLAY HAIR SPRAY (US/CANADA)

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: February 16, 2006

REVISION DATE:

SUPERSEDES:

FORMULA: TEL0201/ L31428B 55%VOC

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Hair Spray

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 15SPRAY10; 15SPRAY10-HW; 15SPRAY01; 15SPRAY01-HW; 15SPRAY14;
15SPRAY14-HW

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Ethanol	64-17-5	55.0	1000	1000
Hydrofluorocarbon 152a	75-37-6	38.0	1000	ND
Aminomethyl Propanol	124-68-5	1.0	None Established	

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation, and may result in irreversible damage.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: -30°F TCC (Propellant Only); Concentrate 36°F (EPA Method 1010)

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): LEL=1.8%; UEL=9.5%

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers may rupture and release flammable liquids and /or gasses if exposed to the heat of fire.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: 180 psig @ 131°F Max

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions.

Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Straw Yellow Liquid

STATE: Aerosol

ODOR: Standard

PERCENT VOLATILE: 55 %

SPECIFIC GRAVITY: 0.810 – 0.820

VISCOSITY: Aerosol @ ambient

EVAPORATION RATE, >1

VAPOR PRESSURE mm Hg @ 20°C: Can pressure not to exceed 180 psig @ 131°F

BOILING POINT: Unknown

VAPOR DENSITY (Air=1): >1

SOLUBILITY IN WATER: Soluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120°F.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Not Applicable

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None Known

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible. Dispose of according to all federal, state and local regulations.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Consumer Commodity
U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	NAERG# 171

IATA PROPER SHIPPING NAME:	Consumer Commodity ORM-D (Domestic) Aerosols, Flammable, N.O.S., UN1950 (Export)
IATA HAZARD CLASS:	2.1
IATA LABELS REQUIRED:	Consumer Commodity ORM-D-AIR (Domestic) Flammable Gas (Export)
BILL OF LADING DESCRIPTION:	Consumer Commodity ORM-D-AIR, 9, ID8000 (Domestic) Aerosols, Flammable, N.O.S., 2.1, UN1950 (Export)
UN/NA CODE:	NA (Domestic) UN1950 (Export)
PACKING INSTRUCTIONS:	910 (Domestic) 203/Y203 (Export) Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Aerosols
IMDG HAZARD CLASS:	2.1
IMDG LABELS REQUIRED:	CARTON MUST BE MARKED "AEROSOLS"
IMDG SECONDARY LABELS REQUIRED:	Hollow Diamond with UN1950 Marked in Center
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Aerosol, 2, UN1950
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMS NUMBER:	2-13
MFAG NUMBER:	620
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	2102
UN/NA CODE:	UN1950

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane, 1,1-Difluoro-); Acute and Fire
Hazard Ethane, 1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	4	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists
CAS# - Chemical Abstract System No.
DOT -Department Of Transportation
IMDG - International Maritime Dangerous Goods code
NA - Not Applicable
ND - Not Determined
NFPA - National Fire Protection Association
OSHA - Occupational Safety and Health Administration
PEL - Permissible Exposure Limits
ppm - Parts Per Million
PMCC - Pensky-Martin Closed Cup (flash point)
SARA - Superfund Amendments and Reauthorization Act Title I, II, III
TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

BIG SPRAY & PLAY HARDER HAIR SPRAY US/CANADA

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: March 27, 2007

REVISION DATE:

SUPERSEDES:

FORMULA: TEL0A01/ L33369B 55% VOC

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Hair Spray

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 15SPRAYHARD10, 15SPRAYHARD10-HW; 15SPRAYHARD14;

15SPRAYHARD14-A; 15SPRAYHARD14-HW

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Ethanol	64-17-5	55.0	1000	1000
Hydrofluorocarbon 152a	75-37-6	38.5	1000	ND
Aminomethyl Propanol	124-68-5	1.0	None Established	

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation, and may result in irreversible damage.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Get medical attention.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: -30°F TCC (Propellant Only); Concentrate 36°F (EPA Method 1010)

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): LEL=1.8%; UEL=9.5%

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers may rupture and release flammable liquids and /or gasses if exposed to the heat of fire.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: 180 psig @ 131°F Max

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions.
Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Transparent Liquid
STATE: Aerosol
ODOR: Ginger Essence
PERCENT VOLATILE: ND
SPECIFIC GRAVITY: 0.826 – 0.846
VISCOSITY: Aerosol @ ambient
EVAPORATION RATE, >1
VAPOR PRESSURE mm Hg @ 20°C: Can pressure not to exceed 180 psig @ 131°F
BOILING POINT: Unknown
VAPOR DENSITY (Air=1): >1
SOLUBILITY IN WATER: Soluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120°F.
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Not Applicable
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None Known

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Consumer Commodity
U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	NAERG# 171

IATA PROPER SHIPPING NAME:	Consumer Commodity ORM-D (Domestic) Aerosols, Flammable, N.O.S., UN1950 (Export)
-----------------------------------	---

IATA HAZARD CLASS:	2.1
IATA LABELS REQUIRED:	Consumer Commodity ORM-D-AIR (Domestic) Flammable Gas (Export)
BILL OF LADING DESCRIPTION:	Consumer Commodity ORM-D-AIR, 9, ID8000 (Domestic) Aerosols, Flammable, N.O.S., 2.1, UN1950 (Export)
UN/NA CODE:	NA (Domestic) UN1950 (Export)
PACKING INSTRUCTIONS:	910 (Domestic) 203/Y203 (Export) Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Aerosols
IMDG HAZARD CLASS:	2.1
IMDG LABELS REQUIRED:	CARTON MUST BE MARKED "AEROSOLS"
IMDG SECONDARY LABELS REQUIRED:	Hollow Diamond with UN1950 Marked in Center
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Aerosol, 2, UN1950
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMS NUMBER:	2-13
MFAG NUMBER:	620
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	2102
UN/NA CODE:	UN1950

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Dimethyl Ether DME); Acute and Fire
Hazard (Dimethyl Ether DME, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings
Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection
Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	4	NA	3=Serious/High
REACTIVITY	1	NA	2=Moderate/Moderate
			1=Slight/Slight

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

BIG VOLUME CONDITIONER

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: June 26, 2007

REVISION DATE:

SUPERSEDES:

FORMULA: AM80-4

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Conditioner

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 15CON02; 15CON08; 15CON10; 15CON128; 15CON33; 15CON64;

05FOILBSHCON

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: ND

AUTOIGNITION TEMPERATURE: ND

FLAMMABILITY LIMITS IN AIR (% V): ND

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: ND

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Color free, hazy, viscous gel.

STATE: Liquid

ODOR: Floral

PERCENT VOLATILE: ND

SPECIFIC GRAVITY: about 0.99

VISCOSITY: ND

EVAPORATION RATE: ND

VAPOR PRESSURE mm Hg @ 20°C: ND

BOILING POINT: ND

VAPOR DENSITY (Air=1): ND

SOLUBILITY IN WATER: Soluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: None

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: None known

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None Known

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Big Volume Conditioner
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	Big Volume Conditioner
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Big Volume Conditioner
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None

EMERGENCY RESPONSE GUIDE NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME: Big Volume Conditioner
IMDG HAZARD CLASS: None
IMDG LABELS REQUIRED: None
IMDG SECONDARY LABELS REQUIRED: None
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Big Volume Conditioner
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: None
EMS NUMBER: None
MFAG NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER: None
UN/NA CODE: None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-); Acute and Fire Hazard Ethane,1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397

Shipping Address:

20621 Prairie Avenue

Chatsworth, CA 91311

(818) 435-0800

BIG VOLUME CONDITIONER

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: June 26, 2007

REVISION DATE:

SUPERSEDES:

FORMULA: AM80-4

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Conditioner

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 15CON02; 15CON08; 15CON10; 15CON128; 15CON33; 15CON64;

05FOILBSHCON

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes.

If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: ND

AUTOIGNITION TEMPERATURE: ND

FLAMMABILITY LIMITS IN AIR (% V): ND

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: ND

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Color free, hazy, viscous gel.

STATE: Liquid

ODOR: Floral

PERCENT VOLATILE: ND

SPECIFIC GRAVITY: about 0.99

VISCOSITY: ND

EVAPORATION RATE: ND

VAPOR PRESSURE mm Hg @ 20°C: ND

BOILING POINT: ND

VAPOR DENSITY (Air=1): ND

SOLUBILITY IN WATER: Soluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: None

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: None known

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None Known

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Big Volume Conditioner
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	Big Volume Conditioner
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Big Volume Conditioner
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None

EMERGENCY RESPONSE GUIDE NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME: Big Volume Conditioner
IMDG HAZARD CLASS: None
IMDG LABELS REQUIRED: None
IMDG SECONDARY LABELS REQUIRED: None
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Big Volume Conditioner
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: None
EMS NUMBER: None
MFAG NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER: None
UN/NA CODE: None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory.
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane, 1,1-Difluoro-); Acute and Fire Hazard Ethane, 1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists
CAS# - Chemical Abstract System No.
DOT -Department Of Transportation
IMDG - International Maritime Dangerous Goods code
NA - Not Applicable
ND - Not Determined
NFPA - National Fire Protection Association
OSHA - Occupational Safety and Health Administration
PEL - Permissible Exposure Limits
ppm - Parts Per Million
PMCC - Pensky-Martin Closed Cup (flash point)
SARA - Superfund Amendments and Reauthorization Act Title I, II, III
TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

BIG VOLUME SHAMPOO

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: May 7, 2007
REVISION DATE:
SUPERSEDES:
FORMULA: AM80-3; EA-3-38
PREPARED AND REVISED BY: Jeff Staten
GENERIC/CHEMICAL NAME: Shampoo
PRODUCT TYPE/CHEMICAL FAMILY: NA
PRODUCT CODE: 15SHA02; 15SHA08; 15SHA10; 15SHA128; 15SHA33; 15SHA64;
05FOILBSHSHA
SYNONYMS: None
CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:
CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS
EYE CONTACT: May cause eye irritation.
SKIN CONTACT: Not Known
INHALATION: Not Known
INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.
SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: ND

AUTOIGNITION TEMPERATURE: ND

FLAMMABILITY LIMITS IN AIR (% V): ND

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: ND

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Pink pearlized viscous liquid.

STATE: Viscous Liquid

ODOR: Mango like
PERCENT VOLATILE: ND
SPECIFIC GRAVITY: about 1.0
VISCOSITY: ND
EVAPORATION RATE: ND
VAPOR PRESSURE mm Hg @ 20°C: ND
BOILING POINT: ND
VAPOR DENSITY (Air=1): ND
SOLUBILITY IN WATER: Soluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: None
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: None known
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None Known

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Big Volume Shampoo
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	Big Volume Shampoo
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Big Volume Shampoo
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Big Volume Shampoo
IMDG HAZARD CLASS:	None
IMDG LABELS REQUIRED:	None
IMDG SECONDARY LABELS REQUIRED:	None
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Big Volume Shampoo
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMS NUMBER:	None
MFAG NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	None
UN/NA CODE:	None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-; Acute and Fire Hazard Ethane,1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists
CAS# - Chemical Abstract System No.

DOT -Department Of Transportation
IMDG - International Maritime Dangerous Goods code
NA - Not Applicable
ND - Not Determined
NFPA - National Fire Protection Association
OSHA - Occupational Safety and Health Administration
PEL - Permissible Exposure Limits
ppm - Parts Per Million
PMCC - Pensky-Martin Closed Cup (flash point)
SARA - Superfund Amendments and Reauthorization Act Title I, II, III
TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

BIG VOLUMIZING DETANGLER

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: September 27, 2007

REVISION DATE:

SUPERSEDES: February 22, 2006

FORMULA: 20010608-030020A

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Hair Detangler

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 15DET08

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: ND

AUTOIGNITION TEMPERATURE: ND

FLAMMABILITY LIMITS IN AIR (% V): ND

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: ND

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Color free, hazy, viscous gel.

STATE: Liquid

ODOR: Floral

PERCENT VOLATILE: ND

SPECIFIC GRAVITY: about 1.00

VISCOSITY: ND

EVAPORATION RATE: ND

VAPOR PRESSURE mm Hg @ 20°C: ND

BOILING POINT: ND

VAPOR DENSITY (Air=1): ND

SOLUBILITY IN WATER: Soluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: None

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: None known

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None Known

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Big Volumizing Detangler
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	Big Volumizing Detangler
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Big Volumizing Detangler
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None

EMERGENCY RESPONSE GUIDE NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME: Big Volumizing Detangler
IMDG HAZARD CLASS: None
IMDG LABELS REQUIRED: None
IMDG SECONDARY LABELS REQUIRED: None
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Big Volumizing Detangler
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: None
EMS NUMBER: None
MFAG NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER: None
UN/NA CODE: None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane, 1,1-Difluoro-); Acute and Fire Hazard Ethane, 1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

BIG WHAT A TEASE BACKCOMB IN A BOTTLE

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: 10/18/04

REVISION DATE:

SUPERSEDES:

FORMULA: 132-81A

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Hair Spray

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 15TEASE02; 15TEASE02-HW; 15TEASE04; 15TEASE04-CA; 15TEASE04-HW

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Ethanol	64-17-5	11.4	1000	1000
Dimethyl Ether	115-10-6	19.0	1000	ND
Butane	124-68-5	21.0	1000	ND

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation, and may result in irreversible damage.

SKIN CONTACT: Repeated contact may cause irritation and drying of the skin. Contact with propellant may cause freeze burns.

INHALATION: Vapor may cause irritation to the upper respiratory tract.

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: <73°F TCC

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): LEL=1.8%; UEL=9.5%

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water Spray

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. Firefighters should wear full face, self-contained breathing apparatus and full protective clothing.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers may rupture and release flammable liquids and /or gasses if exposed to the heat of fire.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize/avoid breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Dispose of any leaking aerosols per site instructions after placing in safe fireproof containers with leaking material absorbed by earth or other non-flammable absorbent. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Dispose of in accordance with federal, state or local regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Dispose of in accordance with federal, state or local regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released. Dispose of in accordance with federal, state or local regulations.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: 180 psig @ 131°F Max

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame,

heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required when used with adequate ventilation.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Thin, colorless liquid spray

STATE: Aerosol

PERCENT VOLATILE: Approx. 50%

SPECIFIC GRAVITY: 0.890 (prior to addition of propellant)

VISCOSITY: Aerosol @ ambient

EVAPORATION RATE, >1

VAPOR PRESSURE mm Hg @ 20°C: Can pressure not to exceed 180 psig @ 131°F

BOILING POINT: Unknown

VAPOR DENSITY (Air=1): >1

SOLUBILITY IN WATER: Soluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120°F.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Not applicable.

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Strong oxidizing agents

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Consumer Commodity
U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	NAERG# 171
<hr/>	
IATA PROPER SHIPPING NAME:	Consumer Commodity ORM-D (Domestic) Aerosols, Flammable, N.O.S., UN1950 (Export)
IATA HAZARD CLASS:	2.1
IATA LABELS REQUIRED:	Consumer Commodity ORM-D-AIR (Domestic) Flammable Gas (Export)
BILL OF LADING DESCRIPTION:	Consumer Commodity ORM-D-AIR, 9, ID8000 (Domestic) Aerosols, Flammable, N.O.S., 2.1, UN1950 (Export)
UN/NA CODE:	NA (Domestic) UN1950 (Export)
PACKING INSTRUCTIONS:	910 (Domestic) 203/Y203 (Export) Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
<hr/>	
IMDG PROPER SHIPPING NAME:	Aerosols
IMDG HAZARD CLASS:	2.1
IMDG LABELS REQUIRED:	CARTON MUST BE MARKED "AEROSOLS"
IMDG SECONDARY LABELS REQUIRED:	Hollow Diamond with UN1950 Marked in Center
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Aerosol, 2, UN1950
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMS NUMBER:	2-13
MFAG NUMBER:	620
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	2102
UN/NA CODE:	UN1950

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Dimethyl Ether DME); Acute and Fire
Hazard (Dimethyl Ether DME, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	2	NA	4=Severe/Extreme
FLAMMABILITY	4	NA	3=Serious/High
REACTIVITY	1	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists
CAS# - Chemical Abstract System No.
DOT -Department Of Transportation
IMDG - International Maritime Dangerous Goods code
NA - Not Applicable
ND - Not Determined
NFPA - National Fire Protection Association
OSHA - Occupational Safety and Health Administration
PEL - Permissible Exposure Limits
ppm - Parts Per Million
PMCC - Pensky-Martin Closed Cup (flash point)
SARA - Superfund Amendments and Reauthorization Act Title I, II, III
TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993

13-012-001



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

SHORT CONTROL MANIAC WAX

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: February 10, 2004

REVISION DATE:

SUPERSEDES:

FORMULA: 12-CMSHC/JAM-060303-A)

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Styling Wax

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 18CNTRL02; 18CNTRL02N

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation and/or blurring of vision.

SKIN CONTACT: Can cause occasional mild irritation.

INHALATION: Unlikely to pose problems when used as directed.

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: Flush with plenty of water for 15 minutes, if irritation persists, get medical attention.

SKIN CONTACT: If irritation is experienced, wash exposed area thoroughly with water. If irritation persists, get medical assistance. If burned by contact with hot material, cool burned area as quickly as possible by immersing or applying in cold water. Get prompt medical attention.

INHALATION: Not applicable.

INGESTION: Do not induce vomiting, drink 3-4 glasses of water. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or call Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: > 200°F (TCC)

AUTOIGNITION TEMPERATURE: ND

FLAMMABILITY LIMITS IN AIR (% V): Non Flammable.

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water-fog, sand/earth. Water may not be effective to extinguish fire.

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: Not applicable.

Section VI - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Caution! Floor may become slippery. Absorb spilled material with inert material such as sawdust, sand, or earth. Final cleaning may require use of steam, solvents, or detergents. Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. Store at temperatures below 75°F. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Opaque, waxy paste.

STATE: Paste

ODOR: Characteristic - Fruity

PERCENT VOLATILE: NA

SPECIFIC GRAVITY: Approx. 0.86 @ 25°C

VISCOSITY: NA
EVAPORATION RATE: < 1 (1=ether)
VAPOR PRESSURE mm Hg @ 20°C: ND
BOILING POINT: ND
VAPOR DENSITY (Air=1): >1
SOLUBILITY IN WATER: Insoluble
pH VALUE: NA

Section X - REACTIVITY

STABILITY: Stable
CONDITIONS TO AVOID INSTABILITY: Extreme temperatures.
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: May produce oxides of carbon.
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Strong acids and oxidizing agents.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	Not regulated.
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Short Control Maniac Wax
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Not Regulated.
IMDG HAZARD CLASS:	None
IMDG LABELS REQUIRED:	None
IMDG SECONDARY LABELS REQUIRED:	None
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Short Control Maniac Wax
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMS NUMBER:	None
MFAG NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	None
UN/NA CODE:	None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane, 1,1-Difluoro-); Acute and Fire Hazard Ethane, 1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists
CAS# - Chemical Abstract System No.
DOT -Department Of Transportation
IMDG - International Maritime Dangerous Goods code

NA - Not Applicable
ND - Not Determined
NFPA - National Fire Protection Association
OSHA - Occupational Safety and Health Administration
PEL - Permissible Exposure Limits
ppm - Parts Per Million
PMCC - Pensky-Martin Closed Cup (flash point)
SARA - Superfund Amendments and Reauthorization Act Title I, II, III
TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

CURL ENHANCING CONDITIONER

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: November 8, 2005

REVISION DATE: July 27, 2007

SUPERSEDES: November 8, 2005

FORMULA: ST-2-52C

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Conditioner

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 19CON08; 19CON10-NEW; 19CON33; 19CON33-NEW; 05FOILCSHCON;
05FOILCSHCON-AF

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation and/or blurred vision.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: NA

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): NA

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: None

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required. If vapors are generated, respirator required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Opaque emulsion .

STATE: Viscous Liquid

ODOR: Characteristic
PERCENT VOLATILE: > 75% as water
SPECIFIC GRAVITY: Min. 0.99
VISCOSITY: Min. 20.000 cps
EVAPORATION RATE: As water
VAPOR PRESSURE mm Hg @ 20°C: NA
BOILING POINT: NA
VAPOR DENSITY (Air=1): NA
SOLUBILITY IN WATER: Dispersible
pH VALUE: Min. 3.5

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Extreme heat, open flames
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Carbon dioxide and carbon monoxide.
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Oxidizing agents.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	None
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Curly Curl Enhancing Conditioner
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300

International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME: None
IMDG HAZARD CLASS: None
IMDG LABELS REQUIRED: None
IMDG SECONDARY LABELS REQUIRED: None
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Curly Curl Enhancing Conditioner
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: None
EMS NUMBER: None
MFAG NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER: None
UN/NA CODE: None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-); Acute and Fire Hazard Ethane,1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

CURL ENHANCING SHAMPOO

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: November 8, 2005

REVISION DATE:

SUPERSEDES:

FORMULA: ST-2-51J

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Shampoo

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 19SHA08; 19SHA10-NEW; 19SHA33; 19SHA33-NEW; 05FOILCSHSHA;
05FOILCSHSHA-AF

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation and/or blurred vision.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: NA

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): NA

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: None

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required. If vapors are generated, respirator required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Off white pearlized liquid.

STATE: Viscous Liquid

ODOR: Characteristic - Fruity
PERCENT VOLATILE: > 80% as water
SPECIFIC GRAVITY: 1.02
VISCOSITY: 5,000 – 10,000 cps.
EVAPORATION RATE: NA
VAPOR PRESSURE mm Hg @ 20°C: NA
BOILING POINT: NA
VAPOR DENSITY (Air=1): NA
SOLUBILITY IN WATER: Complete
pH VALUE: 7.0 – 7.5
MELTING/FREEZING POINT: 0°C

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Extreme heat, open flames
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Carbon dioxide and carbon monoxide.
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Oxidizing agents.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	None
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Curly Curl Enhancing Shampoo
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC:

Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls
accepted)

IMDG PROPER SHIPPING NAME: None
IMDG HAZARD CLASS: None
IMDG LABELS REQUIRED: None
IMDG SECONDARY LABELS REQUIRED: None
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Curly Curl Enhancing Shampoo
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: None
EMS NUMBER: None
MFAG NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls
accepted)
IMDG PAGE NUMBER: None
UN/NA CODE: None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-); Acute and Fire
Hazard Ethane,1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings
Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection
Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from
different supplier sources considered to be dependable and is accurate to the best of our knowledge as to
the proper use and handling of this product under normal conditions. However, no representation, warranty,
or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy
himself as to the suitability and completeness of such information for his own particular use. We do not
accept liability for any loss or damage that may occur from the use of this information. Any use of this
product which is not in conformance with this MSDS or which involves using the product in combination
with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993

012041053

37012009

**Customer No.: 222397****Shipping Address:**

20621 Prairie Avenue

Chatsworth, CA 91311

(818) 435-0800

CURLY CURL POWER MOUSSE

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: March 27, 2007**REVISION DATE:****SUPERSEDES:****FORMULA:** 124-16B (6% VOC)**PREPARED AND REVISED BY:** Jeff Staten**GENERIC/CHEMICAL NAME:** Spray Mousse**PRODUCT TYPE/CHEMICAL FAMILY:** NA**PRODUCT CODE:** 19CURLPWR08; 19CURLPWR08-CA; 19CURLPWR08-NEWHW**SYNONYMS:** None**CONTACT ADDRESS:** Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311**EMERGENCY PHONE NUMBERS:****CHEMTREC:** Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Isobutane	75-28-5	3.5	1000	ND
Propane	74-98-6	2.5	1000	ND

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS**EYE CONTACT:** Direct contact of product with eyes may cause irritation, and may result in irreversible damage.**SKIN CONTACT:** Not Known**INHALATION:** Not Known**INGESTION:** If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: 80°F TCC

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): LEL=1.8%; UEL=9.5%

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. Firefighters should wear full face, self-container breathing apparatus and full protective clothing.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers may rupture and release flammable liquids and /or gasses if exposed to the heat of fire.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: 180 psig @ 131°F Max

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.
EYE PROTECTION: Not necessary except as a good industrial practice.
OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions.
Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Opaque white foam
STATE: Aerosol
ODOR: Characteristic
PERCENT VOLATILE: 6%
SPECIFIC GRAVITY: 1.014 (prior to addition of propellant)
VISCOSITY: Aerosol @ ambient
EVAPORATION RATE, >1
VAPOR PRESSURE mm Hg @ 20°C: Can pressure not to exceed 180 psig @ 131°F
BOILING POINT: 173°F
VAPOR DENSITY (Air=1): >1
SOLUBILITY IN WATER: Soluble in water
pH VALUE: 7.0 – 7.5

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120°F.
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Not Applicable
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Strong oxidizing agents.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Consumer Commodity
U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None

EMERGENCY RESPONSE GUIDE NUMBER: NAERG# 171

IATA PROPER SHIPPING NAME: Consumer Commodity ORM-D (Domestic)
IATA HAZARD CLASS: Aerosols, Flammable, N.O.S., UN1950 (Export)
IATA LABELS REQUIRED: 2.1
Consumer Commodity ORM-D-AIR (Domestic)
Flammable Gas (Export)
BILL OF LADING DESCRIPTION: Consumer Commodity ORM-D-AIR, 9, ID8000
(Domestic)
Aerosols, Flammable, N.O.S., 2.1, UN1950 (Export)
UN/NA CODE: NA (Domestic)
UN1950 (Export)
PACKING INSTRUCTIONS: 910 (Domestic)
203/Y203 (Export)
Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER: 126
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls
accepted)

IMDG PROPER SHIPPING NAME: Aerosols
IMDG HAZARD CLASS: 2.1
IMDG LABELS REQUIRED: **CARTON MUST BE MARKED "AEROSOLS"**
IMDG SECONDARY LABELS REQUIRED: Hollow Diamond with UN1950 Marked in Center
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Aerosol, 2, UN1950
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: 126
EMS NUMBER: 2-13
MFAG NUMBER: 620
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls
accepted)
IMDG PAGE NUMBER: 2102
UN/NA CODE: UN1950

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Dimethyl Ether, DME, Isobutane/Propane); Acute and Fire Hazard (Dimethyl Ether, DME, Isobutane/ Propane)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

NPCA-HMIS		NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	3	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists
CAS# - Chemical Abstract System No.
DOT -Department Of Transportation
IMDG - International Maritime Dangerous Goods code
NA - Not Applicable
ND - Not Determined
NFPA - National Fire Protection Association
OSHA - Occupational Safety and Health Administration
PEL - Permissible Exposure Limits
ppm - Parts Per Million
PMCC - Pensky-Martin Closed Cup (flash point)
SARA - Superfund Amendments and Reauthorization Act Title I, II, III
TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

CURLY CURL REACTIVATOR

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: March 1, 2006

REVISION DATE:

SUPERSEDES:

FORMULA: 124-46C

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Styling Aide

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 19REACTIVATOR02; 19REACTIVATOR08; 19REACTIVATOR08-5

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation and/or blurry vision.

SKIN CONTACT: Mild to moderate irritation. Prolonged or repeated contact may cause localized redness or rash.

INHALATION: May cause irritation to the upper respiratory tract.

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard. Launder clothes before using. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: DO NOT INDUCE VOMITING. Drink enough water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or call Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: 120°F (TCC)

AUTOIGNITION TEMPERATURE: ND

FLAMMABILITY LIMITS IN AIR (% V): ND

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: None expected.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed. Keep product in tightly closed container. Keep product away from children's reach. When handling large quantities (e.g. ≥ 1 gallon), wear protective eyeglasses, gloves, boots and apron per OSHA regulations (29 CFR 1910.133)

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: 2 Phase water and oil, clear liquid.

STATE: Liquid

ODOR: Characteristic

PERCENT VOLATILE: 2% VOC

SPECIFIC GRAVITY: 1.0

VISCOSITY: NA

EVAPORATION RATE: ND

VAPOR PRESSURE mm Hg @ 20°C: ND

BOILING POINT: ND

VAPOR DENSITY (Air=1): ND

SOLUBILITY IN WATER: Partially Soluble.

pH VALUE: 3.0 – 4.0

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: None known

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: None known

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Strong oxidizing agents

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	Not Regulated
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Curly Curl Reactivator
UN/NA CODE:	None

PACKING INSTRUCTIONS: None
EMERGENCY RESPONSE GUIDE NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME: Not Regulated
IMDG HAZARD CLASS: None
IMDG LABELS REQUIRED: None
IMDG SECONDARY LABELS REQUIRED: None
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Curly Curl Reactivator
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: None
EMS NUMBER: None
MFAG NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER: None
UN/NA CODE: None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-); Acute and Fire Hazard Ethane,1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

CURLY 24/7 CURLS

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: March 3, 2005

REVISION DATE:

SUPERSEDES:

FORMULA: 127-41D

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Styling Aide

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 19TFSCURLS06; 19TFSCURLS06-CA; 19TFSCURLS06-HW

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Ethanol	64-17-5	27.10	1000	1000
Hydrofluorocarbon 152a	75-37-6	30.0	1000	ND

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation, and may result in irreversible damage.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: -30°F TCC (Propellant Only); Concentrate 36°F (EPA Method 1010)

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): LEL=1.8%; UEL=9.5%

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers may rupture and release flammable liquids and /or gasses if exposed to the heat of fire.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: 180 psig @ 131°F Max

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions.
Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear colorless liquid.

STATE: Aerosol

ODOR: Standard

PERCENT VOLATILE: 27 %

SPECIFIC GRAVITY: 0.895 (prior to the addition of propellant)

VISCOSITY: Aerosol @ ambient

EVAPORATION RATE: >1

VAPOR PRESSURE mm Hg @ 20°C: Can pressure not to exceed 180 psig @ 131°F

BOILING POINT: Unknown

VAPOR DENSITY (Air=1): >1

SOLUBILITY IN WATER: Insoluble in water

pH VALUE: 8.2

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120°F.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Not Applicable

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Strong oxidizing agents.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible. Dispose of according to all federal, state and local regulations.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Consumer Commodity
U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	NAERG# 171

IATA PROPER SHIPPING NAME: Consumer Commodity ORM-D (Domestic)
Aerosols, Flammable, N.O.S., UN1950 (Export)

IATA HAZARD CLASS: 2.1

IATA LABELS REQUIRED: Consumer Commodity ORM-D-AIR (Domestic)
Flammable Gas (Export)

BILL OF LADING DESCRIPTION: Consumer Commodity ORM-D-AIR, 9, ID8000
(Domestic)
Aerosols, Flammable, N.O.S., 2.1, UN1950 (Export)

UN/NA CODE: NA (Domestic)
UN1950 (Export)

PACKING INSTRUCTIONS: 910 (Domestic)
203/Y203 (Export)
Authorization: Limited Quantity

EMERGENCY RESPONSE GUIDE NUMBER: 126

EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME: Aerosols

IMDG HAZARD CLASS: 2.1

IMDG LABELS REQUIRED: **CARTON MUST BE MARKED "AEROSOLS"**

IMDG SECONDARY LABELS REQUIRED: **Hollow Diamond with UN1950 Marked in Center**

IMDG PLACARDS REQUIRED: None

BILL OF LADING DESCRIPTION: Aerosol, 2, UN1950

MARINE POLLUTANT: No

EMERGENCY RESPONSE GUIDE NUMBER: 126

EMS NUMBER: 2-13

MFAG NUMBER: 620

EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)

IMDG PAGE NUMBER: 2102

UN/NA CODE: UN1950

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory

SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-); Acute and Fire Hazard Ethane,1,1-Difluoro-, Ethanol)

SARA TITLE III, Section 313: None noted

CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	4	NA	3=Serious/High

REACTIVITY	0	NA	2=Moderate/Moderate 1=Slight/Slight 0=Minimal/Insignificant
------------	---	----	---

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

CURLY CURLING CRÈME

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: September 8, 2004
REVISION DATE: April 8, 2008
SUPERSEDES: September 8, 2004
FORMULA: 12-SHCCC/AGA-060104-C
PREPARED AND REVISED BY: Jeff Staten
GENERIC/CHEMICAL NAME: Styling Crème
PRODUCT TYPE/CHEMICAL FAMILY: NA
PRODUCT CODE: 19CURLCREME01; 19CURLCREME05; 19CURLCREME16;
05FOILCSHCREME
SYNONYMS: None
CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation and/or blurring of vision.

SKIN CONTACT: May be irritating to extra sensitive skin.

INHALATION: Unlikely to pose problems when used as directed.

INGESTION: Harmful if swallowed. If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: Flush with plenty of water for 15 minutes, if irritation persists, get medical attention.

SKIN CONTACT: If irritation is experienced, wash exposed area thoroughly with water. If irritation persists, get medical assistance.

INHALATION: Not applicable.

INGESTION: Do not induce vomiting, drink 3-4 glasses of water. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or call Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: > 200°F (TCC)

AUTOIGNITION TEMPERATURE: ND

FLAMMABILITY LIMITS IN AIR (% V): ND

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, and water.

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: None

Section VI - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Caution! Floor may become slippery. Absorb spilled material with inert material such as sawdust, sand, or earth. Final cleaning may require use of steam, solvents, or detergents. Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. Store at temperatures below 75°F. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Keep product in tightly closed containers. Keep product away from children's reach. Do not expose to elevated temperatures. Keep out of direct sunlight or open flame. Read and follow all label directions and cautions. Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Opaque semi-viscous lotion

STATE: Crème/Lotion

ODOR: Characteristic – Fruity

PERCENT VOLATILE: 92.00% as water

SPECIFIC GRAVITY: 1.00

VISCOSITY: 15,000 – 21,000 cps

MELTING/FREEZING POINT: NA
EVAPORATION RATE: Slower than ether
VAPOR PRESSURE mm Hg @ 20°C: NA
BOILING POINT: ND
VAPOR DENSITY (Air=1): > 1
SOLUBILITY IN WATER: Miscible
pH VALUE: 4.0 – 5.0

Section X - REACTIVITY

STABILITY: Stable
CONDITIONS TO AVOID INSTABILITY: Extreme temperatures.
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: None
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Heat, strong acids and oxidizing agents

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	Not regulated.
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Curly Curling Crème
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Not Regulated.
IMDG HAZARD CLASS:	None
IMDG LABELS REQUIRED:	None
IMDG SECONDARY LABELS REQUIRED:	None
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Curly Curling Crème
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMS NUMBER:	None
MFAG NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	None
UN/NA CODE:	None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane, 1,1-Difluoro-); Acute and Fire Hazard Ethane, 1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists
CAS# - Chemical Abstract System No.

DOT -Department Of Transportation
IMDG - International Maritime Dangerous Goods code
NA - Not Applicable
ND - Not Determined
NFPA - National Fire Protection Association
OSHA - Occupational Safety and Health Administration
PEL - Permissible Exposure Limits
ppm - Parts Per Million
PMCC - Pensky-Martin Closed Cup (flash point)
SARA - Superfund Amendments and Reauthorization Act Title I, II, III
TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

CURLY DETANGLER

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: May 7, 2007

REVISION DATE:

SUPERSEDES:

FORMULA: AM74-92C-1

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Hair Detangler

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 19DETANGLER08

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: ND

AUTOIGNITION TEMPERATURE: ND

FLAMMABILITY LIMITS IN AIR (% V): ND

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: ND

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed. Keep product in tightly closed container. Keep product away from children's reach.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: White milk-like liquid.
STATE: Liquid
ODOR: Fruity
PERCENT VOLATILE: ND
SPECIFIC GRAVITY: about 0.98
VISCOSITY: NA
EVAPORATION RATE: ND
VAPOR PRESSURE mm Hg @ 20°C: ND
BOILING POINT: ND
VAPOR DENSITY (Air=1): ND
SOLUBILITY IN WATER: Complete
pH VALUE: 5.5 – 6.5

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: None
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: None known
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None Known

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	Not Regulated
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Curly Detangler
UN/NA CODE:	None

PACKING INSTRUCTIONS: None
EMERGENCY RESPONSE GUIDE NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME: Not Regulated
IMDG HAZARD CLASS: None
IMDG LABELS REQUIRED: None
IMDG SECONDARY LABELS REQUIRED: None
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Curly Detangler
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: None
EMS NUMBER: None
MFAG NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER: None
UN/NA CODE: None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane, 1,1-Difluoro-); Acute and Fire Hazard Ethane, 1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
 21551 Prairie Street
 Chatsworth, CA 91311
 (818) 435-0800

CURLY SEXY HAIR CURL REACTIVATOR

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: June 1, 2012

REVISION DATE: N/A

SUPERSEDES: N/A

FORMULA: 175-85A-1

PREPARED AND REVISED BY: Alison Robinson

GENERIC/CHEMICAL NAME: Styling Aide

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 19REACT06; 19REACT01

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 21551 Prairie Street, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Liquid and vapor may cause mild to severe eye irritation

SKIN CONTACT: Repeated contact may cause irritation and drying of skin

INHALATION: Vapor may cause irritation to the upper respiratory tract

INGESTION: May cause gastrointestinal irritation. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Drink enough water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Consult a physician immediately.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: ND

AUTOIGNITION TEMPERATURE: N/A

FLAMMABILITY LIMITS IN AIR (% V): ND

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers may rupture and release flammable liquids and/or gasses if exposed to the heat of fire.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: 180 psig @131°F Max

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not required under normal conditions of use.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed. Keep product away from children's reach. When handling large quantities (e.g. ≥ 1 gallon), wear protective eyeglasses, gloves, boots and apron per OSHA regulations (29 CFR 1910.133)

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Fine Mist
STATE: Aerosol
ODOR: Characteristic
PERCENT VOLATILE: 0%
SPECIFIC GRAVITY: 1.020 – 1.040 @20°C
VISCOSITY: Aerosol @ambient
EVAPORATION RATE: ND
VAPOR PRESSURE mm Hg @ 20°C: ND
BOILING POINT: ND
VAPOR DENSITY (Air=1): N/A
SOLUBILITY IN WATER: Partially Soluble
pH VALUE: 3.00 – 4.00 (Concentrate)
MELTING/FREEZING POINT: ND

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120° F
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: N/A
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Strong oxidizing agents

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Consumer Commodity
U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None

EMERGENCY RESPONSE GUIDE NUMBER: NAERG #171

IATA PROPER SHIPPING NAME: Consumer Commodity ORM-D (Domestic) Aerosols, Flammable, N.O.S., UN1950 (Export)
IATA HAZARD CLASS: 2.1
IATA LABELS REQUIRED: Consumer Commodity ORM-D-Air (Domestic) Flammable Gas (Export)
BILL OF LADING DESCRIPTION: Consumer Commodity ORM-D-AIR, 9, ID8000 (Domestic) Aerosols, Flammable, N.O.S., 2.1, UN 1950 (Export)
UN/NA CODE: NA (Domestic)
UN1950 (Export)
PACKING INSTRUCTIONS: 910 (Domestic)
203/Y203 (Export)
Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER: 126
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME: Aerosols
IMDG HAZARD CLASS: 2.1
IMDG LABELS REQUIRED: **CARTON MUST BE MARKED "AEROSOLS"**
IMDG SECONDARY LABELS REQUIRED: **Hollow Diamond with UN1950 Marked in Center**
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Aerosol, 2, UN1950
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: 126
EMS NUMBER: 2 - 13
MFAG NUMBER: 620
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER: 2102
UN/NA CODE: UN1950

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Isobutane, Propane, Butane); Acute and Fire Hazard (Isobutane, Propane, Butane)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	0	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
 21551 Prairie Street
 Chatsworth, CA 91311
 (818) 435-0800

CURLY SEXY HAIR FULL ON CURLS

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: June 17, 2009
REVISION DATE: N/A
SUPERSEDES: N/A
FORMULA: TEL8801 L37345-D
PREPARED AND REVISED BY: Alison Robinson
GENERIC/CHEMICAL NAME: Hair product
PRODUCT TYPE/CHEMICAL FAMILY: NA
PRODUCT CODE:
SYNONYMS: None
CONTACT ADDRESS: Sexy Hair Concepts, 21551 Prairie Street, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:
CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Isobutane	75-28-5	<0.66%	1000	ND
Propane	74-98-6	5.4%	1000	ND
Butane	106-97-8	<0.3%	1000	ND

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation, and may result in irreversible damage.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions

Section V - FIRE FIGHTING MEASURES

FLASH POINT: -30°F TCC (Propellant Only)

AUTOIGNITION TEMPERATURE: N/A

FLAMMABILITY LIMITS IN AIR (% V): LEFL = 1.8%; UEL= 9.5%

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers may rupture and release flammable liquids and/or gasses if exposed to the heat of fire.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: 180 psig @131°F Max

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.
OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions.
Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Milky Emulsion, White
STATE: Aerosol
ODOR: Fruity Flower
PERCENT VOLATILE: 6%
SPECIFIC GRAVITY: 0.90 – 1.00 @20°C
VISCOSITY: Aerosol @ambient
EVAPORATION RATE: >1
VAPOR PRESSURE mm Hg @ 20°C: ND
BOILING POINT: 173° F
VAPOR DENSITY (Air=1): >1
SOLUBILITY IN WATER: Soluble
pH VALUE: ND
MELTING/FREEZING POINT: ND

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120° F
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: N/A
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None known.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME: Consumer Commodity
U. S. DOT HAZARD CLASS: ORM-D
U. S. DOT LABELS REQUIRED: None
U. S. DOT PLACARDS REQUIRED: None
EMERGENCY RESPONSE GUIDE NUMBER: NAERG #171

IATA PROPER SHIPPING NAME: Consumer Commodity ORM-D (Domestic) Aerosols, Flammable, N.O.S., UN1950 (Export)
IATA HAZARD CLASS: 2.1
IATA LABELS REQUIRED: Consumer Commodity ORM-D-Air (Domestic) Flammable Gas (Export)
BILL OF LADING DESCRIPTION: Consumer Commodity ORM-D-AIR, 9, ID8000 (Domestic) Aerosols, Flammable, N.O.S., 2.1, UN 1950 (Export)
UN/NA CODE: NA (Domestic)
PACKING INSTRUCTIONS: UN1950 (Export)
 910 (Domestic)
 203/Y203 (Export)
 Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER: 126
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
 Domestic North America 800-424-9300
 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME: Aerosols
IMDG HAZARD CLASS: 2.1
IMDG LABELS REQUIRED: **CARTON MUST BE MARKED "AEROSOLS"**
IMDG SECONDARY LABELS REQUIRED: **Hollow Diamond with UN1950 Marked in Center**
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Aerosol, 2, UN1950
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: 126
EMS NUMBER: 2 - 13
MFAG NUMBER: 620
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
 Domestic North America 800-424-9300
 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER: 2102
UN/NA CODE: UN1950

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Isobutane, Propane, Butane); Acute and Fire Hazard (Isobutane, Propane, Butane)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	4	NA	3=Serious/High

REACTIVITY	0	NA	2=Moderate/Moderate 1=Slight/Slight 0=Minimal/Insignificant
------------	---	----	---

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists
CAS# - Chemical Abstract System No.
DOT -Department Of Transportation
IMDG - International Maritime Dangerous Goods code
NA - Not Applicable
ND - Not Determined
NFPA - National Fire Protection Association
OSHA - Occupational Safety and Health Administration
PEL - Permissible Exposure Limits
ppm - Parts Per Million
PMCC - Pensky-Martin Closed Cup (flash point)
SARA - Superfund Amendments and Reauthorization Act Title I, II, III
TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993

sku: 012112013

34012018



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

DARN STRAIGHT

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: July 6, 2007

REVISION DATE:

SUPERSEDES:

FORMULA: AM69-47F-1

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Styling Pomade

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 16DARN02; 16 DARN06; 05FOHLDARN

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation and/or blurring of vision.

SKIN CONTACT: None known

INHALATION: Unlikely to pose problems when used as directed.

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: Flush with plenty of water for 15 minutes, if irritation persists, get medical attention.

SKIN CONTACT: If irritation is experienced, wash exposed area thoroughly with water. Remove all contaminated clothing and launder. If irritation persists, get medical assistance.

INGESTION: Do not induce vomiting, give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or call Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: ND

AUTOIGNITION TEMPERATURE: ND

FLAMMABILITY LIMITS IN AIR (% V): ND

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water-fog, sand/earth.

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: ND

Section VI - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Caution! Floor may become slippery. Absorb spilled material with inert material such as sawdust, sand, or earth. Final cleaning may require use of steam, solvents, or detergents. Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. Store at temperatures below 75°F. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: NA

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: NA

EYE PROTECTION: NA

OTHER PRECAUTIONS: Keep product in tightly closed containers. Keep product away from children's reach. Keep product away from source of heat and open flames. . Read and follow all label directions and cautions. Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Light pink viscous liquid.

STATE: Liquid

ODOR: Characteristic - Fruity

PERCENT VOLATILE: ND

SPECIFIC GRAVITY: Approx. 0.98

VISCOSITY: 16,000 – 25,000 cps

EVAPORATION RATE: ND

VAPOR PRESSURE mm Hg @ 20°C: ND

BOILING POINT: ND
VAPOR DENSITY (Air=1): ND
SOLUBILITY IN WATER: Complete
pH VALUE: 5.5 – 6.5

Section X - REACTIVITY

STABILITY: Stable
CONDITIONS TO AVOID INSTABILITY: Extreme temperatures.
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: ND
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: ND

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	Not regulated.
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Darn Straight
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Not Regulated.
IMDG HAZARD CLASS:	None
IMDG LABELS REQUIRED:	None
IMDG SECONDARY LABELS REQUIRED:	None

IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Darn Straight
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMS NUMBER:	None
MFAG NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	None
UN/NA CODE:	None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane, 1,1-Difluoro-; Acute and Fire Hazard Ethane, 1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists
CAS# - Chemical Abstract System No.
DOT -Department Of Transportation
IMDG - International Maritime Dangerous Goods code
NA - Not Applicable
ND - Not Determined
NFPA - National Fire Protection Association
OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Material Safety Data Sheet

Big Sexy Hair Full Bloom

SECTION 1: IDENTIFICATION

MSDS FIRST PREPARATION DATE: August 27, 2014

FORMULA: 24839-09/KAH-080114-A

PREPARED: Kristin Baldassari

GENERIC/CHEMICAL NAME: N/A

PRODUCT TYPE/CHEMICAL FAMILY: Personal Care Product

PRODUCT CODE: N/A

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, LLC 21551 Prairie St. Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; For Information: 818-206-6700

SECTION 2: HAZARD INGREDIENTS/IDENTITY INFORMATION

The identity of individual components of this mixture is proprietary information and regarded to be a trade secret. However, based on the health hazard determination of contained ingredients present, this mixture presents the following health hazard(s):

Hazardous Components	% Range	CAS NO.	OSHA PEL	ACGIH TLV
N/A	N/A	N/A	N/A	N/A

SECTION 3: HAZARDS IDENTIFICATION

3.1 Emergency Overview:

Type of Hazard: Not Applicable
Appearance: Hazy Thin Liquid

3.2 Potential Health Effects:

Inhalation: Not applicable.
Skin Contact: May be irritating to extra-sensitive skin.
Eye Contact: May cause irritation.
Ingestion: Harmful if swallowed. May cause gastrointestinal irritation.

Chronic effects and medical conditions aggravated by overexposure:

Chronic effects and medical conditions aggravated by overexposure to this product have not been established. Unnecessary exposure to this product or any chemical should be avoided.

SECTION 4: FIRST AID MEASURES

Inhalation: Not applicable.

Skin: If irritation is experienced, wash exposed area thoroughly with water. If irritation persists, get medical assistance.

Eyes: Flush with plenty of water for 15 minutes, if irritation persists, get medical assistance.

Ingestion: Do not induce vomiting, drink 3-4 glasses of water. Get prompt medical attention.

SECTION 5: FIRE FIGHTING MEASURES

Flammability Classification:	Not flammable
Flash Point:	Not applicable
Extinguishing Media:	Foam, CO ₂ , water fog, sand/earth.
Unusual Fire And Explosion Hazards:	Not applicable.
Special Fire Fighting Procedures:	Must wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire and exposed container with water spray.

SECTION 6: ACCIDENTIAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Released Or Spilled:

Caution! Floor may become slippery. Absorb spilled material with inert material such as sawdust, sand or earth.

Disposal Method:

Sweep up and dispose of in accordance with Federal, State and local regulations.

SECTION 7: HANDLING AND STORAGE

Usage Precautions:	Use as directed.
Storage Precautions:	Protect containers against physical damage. Keep closed until used. Store in a dry place at ambient temperatures. Keep out of reach of children.
Other Precaution:	Caution! Spilled material is slippery.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Control:	Not required.
Respiration Protection:	Not applicable.
Protective Gloves:	Not required.
Eye And Face Protection:	Not required.
Hygienic Work Practices:	No special practices noted. No eating or drinking while working with this material.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Boiling range :	Not determined.
Vapor Density:	<input checked="" type="checkbox"/> Heavier <input type="checkbox"/> Lighter Than Air
Evaporation Rate:	<input type="checkbox"/> Faster <input checked="" type="checkbox"/> Slower, Than Ether
Appearance:	Hazy Thin Liquid
Odor/Taste:	Fruity
Solubility In Water:	Miscible
pH (range):	6.00-7.00
Specific Gravity:	1.011 +/- 0.01
Viscosity (range):	Water-Thin

SECTION 10: STABILITY AND REACTIVITY

Stability:	<input type="checkbox"/> Unstable <input checked="" type="checkbox"/> Stable
Incompatibility (Materials To Avoid):	Strong acids and oxidizing agents.
Hazardous Decomposition Products:	May produce toxic fumes of oxides of carbon, sulfur and Nitrogen; ammonia.
Hazardous Polymerization:	<input type="checkbox"/> May Occur <input checked="" type="checkbox"/> Will Not Occur
Conditions To Avoid:	Extreme temperatures.

SECTION 11: TOXICOLOGICAL INFORMATION

Health Warning: Not applicable.

SECTION 12: ECOLOGICAL INFORMATION

Avoid uncontrolled release of this material.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Method: Collect and dispose of in accordance with Federal, State and local laws and regulations. This product is not classified as an equitable hazardous waste.

SECTION 14: TRANSPORT INFORMATION

DOT Classification: Not regulated.

SECTION 15: REGULATORY INFORMATION

TSCA: Not applicable.

SARA, Title III, Section 313 (40CFR 372): Not applicable.

California Proposition 65: Not applicable

SECTION 16: OTHER INFORMATION

Revision : N/A

Disclaimer:

The information contained in this Material Safety Data Sheet is furnished without warranty of any kind, expressed or implied. Information in this Data Sheet has been assembled by the manufacturer based on its own studies and on the work of others, and is believed to be correct as of the date issued. However, no warranty of any kind is expressed or implied as to the accuracy, completeness, or adequacy of the information obtained herein. The manufacturer shall not be liable, regardless of fault, to the vendee, the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, or adequacy of the information herein. It is intended to assist in the normal safe usage of the product.

34-012-003



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

SHORT HARD UP HOLDING GEL

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: April 21, 2005

REVISION DATE:

SUPERSEDES:

FORMULA: AM83-58

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Styling Gel

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 18HARDGEL01; 18HARDGEL02; 18HARDGEL04; 18HARDGEL05;
18HARDGEL05-CA; 18HARDGEL08; 18HARDGEL10; 18HARDGEL16; 18HARDGEL16N;
05FOILHARDGEL

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation and/or blurring of vision.

SKIN CONTACT: Can cause occasional mild irritation.

INHALATION: Unlikely to pose problems when used as directed.

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: Flush with plenty of water for 15 minutes, if irritation persists, get medical attention.

SKIN CONTACT: If irritation is experienced, wash exposed area thoroughly with water. If irritation persists, get medical assistance. Get prompt medical attention.

INHALATION: Not applicable.

INGESTION: Do not induce vomiting, drink 3-4 glasses of water. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or call Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: ND

AUTOIGNITION TEMPERATURE: ND

FLAMMABILITY LIMITS IN AIR (% V): ND.

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water-fog, sand/earth.

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: ND

Section VI - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Caution! Floor may become slippery. Absorb spilled material with inert material such as sawdust, sand, or earth. Final cleaning may require use of steam, solvents, or detergents. Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None required under normal use and conditions.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not required under normal use and conditions

EYE PROTECTION: Not required under normal use and conditions.

OTHER PRECAUTIONS: Keep product in tightly closed containers. Keep product away from children's reach. Read and follow all label directions and cautions. Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Blue viscous liquid.

STATE: Viscous liquid

ODOR: Characteristic - Fruity

PERCENT VOLATILE: ND

SPECIFIC GRAVITY: Approx. 0.98

VISCOSITY: NA

EVAPORATION RATE: ND

VAPOR PRESSURE mm Hg @ 20°C: ND

BOILING POINT: ND
VAPOR DENSITY (Air=1): ND
SOLUBILITY IN WATER: Complete
pH VALUE: NA

Section X - REACTIVITY

STABILITY: Stable
CONDITIONS TO AVOID INSTABILITY: None
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: None
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: ND

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	Not regulated.
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Short Hard Up Holding Gel
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Not Regulated.
IMDG HAZARD CLASS:	None
IMDG LABELS REQUIRED:	None
IMDG SECONDARY LABELS REQUIRED:	None

IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Short Hard Up Holding Gel
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMS NUMBER:	None
MFAG NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	None
UN/NA CODE:	None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane, 1,1-Difluoro-); Acute and Fire Hazard Ethane, 1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	4	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists
CAS# - Chemical Abstract System No.
DOT -Department Of Transportation
IMDG - International Maritime Dangerous Goods code
NA - Not Applicable
ND - Not Determined
NFPA - National Fire Protection Association
OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
 21551 Prairie Street
 Chatsworth, CA 91311
 (818) 435-0800

CURLY SEXY HAIR LIQUID CURLING GEL

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: March 27, 2009
REVISION DATE: N/A
SUPERSEDES: N/A
FORMULA: SP-166-63A
PREPARED AND REVISED BY: Alison Robinson
GENERIC/CHEMICAL NAME: Curly Liquid Curling Gel
PRODUCT TYPE/CHEMICAL FAMILY: NA
PRODUCT CODE:
SYNONYMS: None
CONTACT ADDRESS: Sexy Hair Concepts, 21551 Prairie Street, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:
CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation and/or blurred vision.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: N/A

AUTOIGNITION TEMPERATURE: N/A

FLAMMABILITY LIMITS IN AIR (% V): N/A

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical

SPECIAL FIRE FIGHTING PROCEDURES: Not known.

UNUSUAL FIRE & EXPLOSION HAZARDS: N/A

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required. If vapors are generated, respirator required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Bluish purple, water thin liquid

STATE: Viscous Liquid

ODOR: Characteristic

PERCENT VOLATILE: >75% as water

SPECIFIC GRAVITY: min. 0.995
VISCOSITY: min N/A
EVAPORATION RATE: N/A
VAPOR PRESSURE mm Hg @ 20°C: N/A
BOILING POINT: 100° C
VAPOR DENSITY (Air=1): N/A
SOLUBILITY IN WATER: Dispersible
pH VALUE: Min. 5.30
MELTING/FREEZING POINT: 0°C

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: High temperature.
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: N/A
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None known.
HAZARDOUS DECOMPOSITION PRODUCTS: Under severe heat or ignition will generate carbon monoxide, oxides of nitrogen, and other organic breakdown fumes.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	None
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Curly Liquid Curling Gel
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300

International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME: None
IMDG HAZARD CLASS: None
IMDG LABELS REQUIRED: None
IMDG SECONDARY LABELS REQUIRED: None
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Curly Liquid Curling Gel
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: None
EMS NUMBER: None
MFAG NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER: None
UN/NA CODE: None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane, 1,1-Difluoro-); Acute and Fire Hazard Ethane, 1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY: NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists
CAS# - Chemical Abstract System No.
DOT -Department Of Transportation
IMDG - International Maritime Dangerous Goods code
NA - Not Applicable
ND - Not Determined
NFPA - National Fire Protection Association
OSHA - Occupational Safety and Health Administration
PEL - Permissible Exposure Limits
ppm - Parts Per Million
PMCC - Pensky-Martin Closed Cup (flash point)
SARA - Superfund Amendments and Reauthorization Act Title I, II, III
TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993

**Customer No.:**

222397

Shipping Address:21551 Prairie Avenue
Chatsworth, CA 91311

SHORT SEXY HAIR PIECE OUT WAX MOUSSE

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: July 7, 2010**REVISION DATE:** N/A**SUPERSEDES:** N/A**FORMULA:** 156-2A**PREPARED AND REVISED BY:** Alison Robinson**GENERIC/CHEMICAL NAME:** Mousse**PRODUCT TYPE/CHEMICAL FAMILY:** N/A**PRODUCT CODE:** 35MOU04**SYNONYMS:** None**CONTACT ADDRESS:** Sexy Hair Concepts, 21551 Prairie, Chatsworth, CA 91311**EMERGENCY PHONE NUMBERS:**

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Isobutane	75-28-5	3.5%	800	1000
Propane	74-98-6	2.5%	1000	1000

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS**EYE CONTACT:** May cause eye irritation**SKIN CONTACT:** May cause occasional mild irritation and drying of skin. Contact with propellant may cause freeze burns.**INHALATION:** Vapor may cause irritation to the upper respiratory tract**INGESTION:** If ingested, may cause gastrointestinal irritation

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If breathing is difficult, get medical attention.

INGESTION: Give several glasses of water to dilute. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: NA

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): NA

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water,

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: Closed containers exposed to excessive heat may rupture. Do not crush or puncture containers.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Caution! Spilled material is slippery. Eliminate sources of ignition and ventilate the area. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Product is packed in aerosol container. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open fire proof containers, away from any source of ignition, with leaking material absorbed by earth or other non-flammable absorbent until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required. If vapors are generated, respirator required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Uniform foam

STATE: Liquid

ODOR: Characteristic

PERCENT VOLATILE: Not Determined

SPECIFIC GRAVITY: 0.900 – 0.920

VISCOSITY: 2,000 – 5,000 cps

EVAPORATION RATE: Slower than Ether

VAPOR PRESSURE mm Hg @ 20°C: N/A

BOILING POINT: N/A

VAPOR DENSITY (Air=1): N/A

SOLUBILITY IN WATER: N/A

pH VALUE: 3.0 -4.0

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: Strong oxidizing agents

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Extreme temperatures

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Use or storage near open flames, sparks high heat or other heat sources and strong oxidizing agents

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Consumer Commodity
U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	NAERG# 171
<hr/>	
IATA PROPER SHIPPING NAME:	Consumer Commodity ORM-D (Domestic) Aerosols, Flammable, N.O.S., UN1950 (Export)
IATA HAZARD CLASS:	1.1
IATA LABELS REQUIRED:	Consumer Commodity ORM-D-AIR (Domestic) Flammable Gas (Export)
BILL OF LADING DESCRIPTION:	Consumer Commodity ORM-D-AIR, 9, ID8000 (Domestic) Aerosols, Flammable, N.O.S., 1.1, UN1950 (Export)
UN/NA CODE:	NA (Domestic) UN1950 (Export)
PACKING INSTRUCTIONS:	910 (Domestic) 203/Y203 (Export) Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
<hr/>	
IMDG PROPER SHIPPING NAME:	Aerosols
IMDG HAZARD CLASS:	1.1
IMDG LABELS REQUIRED:	CARTON MUST BE MARKED "AEROSOLS"
IMDG SECONDARY LABELS REQUIRED:	Hollow Diamond with UN1950 Marked in Center
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Aerosol, 1, UN1950
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMS NUMBER:	2-13
MFAG NUMBER:	620
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	2102
UN/NA CODE:	UN1950

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: None present
SARA TITLE III, Section 313: None present
CALIFORNIA PROPOSITION 65: No reportable components

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	0	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993

36-012-001



Customer No.: 222397
Shipping Address:
21551 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

Big Sexy Powder Play

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: January 6, 2010

REVISION DATE: N/A

SUPERSEDES: N/A

FORMULA: GMS042709C

PREPARED AND REVISED BY: Jose J. Soto

GENERIC/CHEMICAL NAME: Hair powder

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 15PWDR01; 15PWDR005

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 21551 Prairie Street, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation.

SKIN CONTACT: May be irritating to extra-sensitive skin

INHALATION: Not Applicable

INGESTION: Harmful if swallowed. May cause gastrointestinal irritation.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard. If symptoms persist, get medical attention.

INHALATION: Not Applicable.

INGESTION: Do not induce vomiting, drink glasses of water. Get prompt medical attention.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: N/A

AUTOIGNITION TEMPERATURE: N/A

FLAMMABILITY LIMITS IN AIR (% V): Not Flammable

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Water, Fog, Sand/Earth

SPECIAL FIRE FIGHTING PROCEDURES: Must wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire exposed container with water spray.

UNUSUAL FIRE & EXPLOSION HAZARDS: N/A

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Caution! Spilled material is slippery

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: White non-fragranced powder

STATE: Powder

ODOR: Unfragranced.

PERCENT VOLATILE: ~90%

SPECIFIC GRAVITY: N/A
VISCOSITY: N/A
EVAPORATION RATE: Slower than ether
VAPOR PRESSURE mm Hg @ 20°C: ND
BOILING POINT: ND
VAPOR DENSITY (Air=1): Heavier than air
SOLUBILITY IN WATER: Soluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Extreme temperatures
HAZARDOUS POLYMERIZATION: Will not occur.
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: None known
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Strong acids and oxidizing agents.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Powder Play
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	Powder Play
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Powder Play
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Powder Play
IMDG HAZARD CLASS:	None
IMDG LABELS REQUIRED:	None
IMDG SECONDARY LABELS REQUIRED:	None
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Powder Play
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMS NUMBER:	None
MFAG NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	None
UN/NA CODE:	None

Section XV - REGULATORY INFORMATION

TSCA: N/A
 SARA TITLE III, Section 311-312: N/A
 SARA TITLE III, Section 313: N/A
 CALIFORNIA PROPOSITION 65: N/A

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists
 CAS# - Chemical Abstract System No.
 DOT -Department Of Transportation
 IMDG - International Maritime Dangerous Goods code
 NA - Not Applicable
 ND - Not Determined

NFPA - National Fire Protection Association
OSHA - Occupational Safety and Health Administration
PEL - Permissible Exposure Limits
ppm - Parts Per Million
PMCC - Pensky-Martin Closed Cup (flash point)
SARA - Superfund Amendments and Reauthorization Act Title I, II, III
TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993

34-012-004



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

POWER STRAIGHT

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: June 26, 2007

REVISION DATE:

SUPERSEDES:

FORMULA: AM54-2B

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Styling Balm

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 16POWER01; 16POWER02; 16POWER03; 16POWER03N; 05FOILPOWER;
05FOILPOWER-N

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation and/or blurring of vision.

SKIN CONTACT: None known

INHALATION: Unlikely to pose problems when used as directed.

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: Flush with plenty of water for 15 minutes, if irritation persists, get medical attention.

SKIN CONTACT: If irritation is experienced, wash exposed area thoroughly with water. Remove all contaminated clothing and launder. If irritation persists, get medical assistance.

INGESTION: Do not induce vomiting, give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or call Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: ND

AUTOIGNITION TEMPERATURE: ND

FLAMMABILITY LIMITS IN AIR (% V): ND

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water-fog, sand/earth.

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: ND

Section VI - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Caution! Floor may become slippery. Absorb spilled material with inert material such as sawdust, sand, or earth. Final cleaning may require use of steam, solvents, or detergents. Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. Store at temperatures below 75°F. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: NA

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: NA

EYE PROTECTION: NA

OTHER PRECAUTIONS: Keep product in tightly closed containers. Keep product away from children's reach. Keep product away from source of heat and open flames. . Read and follow all label directions and cautions. Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Colorless hazy viscous liquid.

STATE: Liquid

ODOR: Characteristic - Fruity

PERCENT VOLATILE: ND

SPECIFIC GRAVITY: Approx. 0.99

VISCOSITY: 46,000 – 65,000 cps
EVAPORATION RATE: ND
VAPOR PRESSURE mm Hg @ 20°C: ND
BOILING POINT: ND
VAPOR DENSITY (Air=1): ND
SOLUBILITY IN WATER: Partially
pH VALUE: 5.5 – 6.5

Section X - REACTIVITY

STABILITY: Stable
CONDITIONS TO AVOID INSTABILITY: Extreme temperatures.
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: ND
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: ND

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	Not regulated.
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Power Straight
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Not Regulated.
----------------------------	----------------

IMDG HAZARD CLASS:	None
IMDG LABELS REQUIRED:	None
IMDG SECONDARY LABELS REQUIRED:	None
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Power Straight
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMS NUMBER:	None
MFAG NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	None
UN/NA CODE:	None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane, 1,1-Difluoro-); Acute and Fire
Hazard Ethane, 1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists
CAS# - Chemical Abstract System No.
DOT -Department Of Transportation
IMDG - International Maritime Dangerous Goods code
NA - Not Applicable

ND - Not Determined
NFPA - National Fire Protection Association
OSHA - Occupational Safety and Health Administration
PEL - Permissible Exposure Limits
ppm - Parts Per Million
PMCC - Pensky-Martin Closed Cup (flash point)
SARA - Superfund Amendments and Reauthorization Act Title I, II, III
TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

POWER STRAIGHT

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: June 26, 2007

REVISION DATE:

SUPERSEDES:

FORMULA: AM54-2B

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Styling Balm

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 16POWER01; 16POWER02; 16POWER03; 16POWER03N; 05FOILPOWER;
05FOILPOWER-N

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation and/or blurring of vision.

SKIN CONTACT: None known

INHALATION: Unlikely to pose problems when used as directed.

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: Flush with plenty of water for 15 minutes, if irritation persists, get medical attention.

SKIN CONTACT: If irritation is experienced, wash exposed area thoroughly with water. Remove all contaminated clothing and launder. If irritation persists, get medical assistance.

INGESTION: Do not induce vomiting, give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or call Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: ND

AUTOIGNITION TEMPERATURE: ND

FLAMMABILITY LIMITS IN AIR (% V): ND

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water-fog, sand/earth.

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: ND

Section VI - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Caution! Floor may become slippery. Absorb spilled material with inert material such as sawdust, sand, or earth. Final cleaning may require use of steam, solvents, or detergents. Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. Store at temperatures below 75°F. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: NA

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: NA

EYE PROTECTION: NA

OTHER PRECAUTIONS: Keep product in tightly closed containers. Keep product away from children's reach. Keep product away from source of heat and open flames. . Read and follow all label directions and cautions. Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Colorless hazy viscous liquid.

STATE: Liquid

ODOR: Characteristic - Fruity

PERCENT VOLATILE: ND

SPECIFIC GRAVITY: Approx. 0.99

VISCOSITY: 46,000 – 65,000 cps
EVAPORATION RATE: ND
VAPOR PRESSURE mm Hg @ 20°C: ND
BOILING POINT: ND
VAPOR DENSITY (Air=1): ND
SOLUBILITY IN WATER: Partially
pH VALUE: 5.5 – 6.5

Section X - REACTIVITY

STABILITY: Stable
CONDITIONS TO AVOID INSTABILITY: Extreme temperatures.
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: ND
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: ND

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	Not regulated.
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Power Straight
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Not Regulated.
----------------------------	----------------

IMDG HAZARD CLASS:	None
IMDG LABELS REQUIRED:	None
IMDG SECONDARY LABELS REQUIRED:	None
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Power Straight
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMS NUMBER:	None
MFAG NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	None
UN/NA CODE:	None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane, 1,1-Difluoro-); Acute and Fire Hazard Ethane, 1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists
CAS# - Chemical Abstract System No.
DOT -Department Of Transportation
IMDG - International Maritime Dangerous Goods code
NA - Not Applicable

ND - Not Determined
NFPA - National Fire Protection Association
OSHA - Occupational Safety and Health Administration
PEL - Permissible Exposure Limits
ppm - Parts Per Million
PMCC - Pensky-Martin Closed Cup (flash point)
SARA - Superfund Amendments and Reauthorization Act Title I, II, III
TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



HEALTHY SEXY HAIR REINVENT COLOR CARE KERATIN HAIR FILLER

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: August 11, 2011

REVISION DATE: N/A

SUPERSEDES:

FORMULA: MT-220-38-R

PREPARED AND REVISED BY: Alison Robinson

GENERIC/CHEMICAL NAME: Keratin Hair Filler

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 34FILLER01

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 21551 Prairie Street, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: N/A

AUTOIGNITION TEMPERATURE: N/A

FLAMMABILITY LIMITS IN AIR (% V): N/A

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: NA

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Caution! Floors may become slippery. Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, direct sunlight, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Slightly hazy liquid
STATE: Viscous Liquid
ODOR: Characteristic
PERCENT VOLATILE: > 75% as water
SPECIFIC GRAVITY: 0.995
VISCOSITY: Min. N/A
EVAPORATION RATE: N/A
VAPOR PRESSURE mm Hg @ 20°C: NA
BOILING POINT: 100°C
VAPOR DENSITY (Air=1): N/A
SOLUBILITY IN WATER: Soluble
pH VALUE: Min. NA
MELTING/FREEZING POINT: 0°C

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Extreme heat, open flames
HAZARDOUS POLYMERIZATION: Will not occur
HAZARDOUS DECOMPOSITION PRODUCTS: Under severe heat or ignition will generate carbon monoxide, oxides of nitrogen, and other organic breakdown fumes.
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None known.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	None
-----------------------------------	------

IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Keratin Hair Filler
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
<hr/>	
IMDG PROPER SHIPPING NAME:	None
IMDG HAZARD CLASS:	None
IMDG LABELS REQUIRED:	None
IMDG SECONDARY LABELS REQUIRED:	None
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Keratin Hair Filler
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMS NUMBER:	None
MFAG NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	None
UN/NA CODE:	None
U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute and Fire Hazard (Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
 21551 Prairie Street
 Chatsworth, CA 91311
 (818) 718-6982

HEALTHY SEXY HAIR REINVENT COLOR CARE TOP COAT

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: November 3, 2010

REVISION DATE: N/A

SUPERSEDES: N/A

FORMULA: KAH-042910A

PREPARED AND REVISED BY: Alison Robinson

GENERIC/CHEMICAL NAME:

PRODUCT TYPE/CHEMICAL FAMILY: N/A

PRODUCT CODE: 34TOP05; 34TOP16

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 21551 Prairie Street, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation and/or blurring vision.

SKIN CONTACT: May be irritating to extra-sensitive skin

INHALATION: Not Applicable

INGESTION: Harmful if swallowed. May cause gastrointestinal irritation.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention. Launder contaminated clothing before re-use.

INHALATION: Not applicable

INGESTION: Give several glasses of water to dilute. Never give fluids or induce vomiting. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: N/A

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): NA

EXTINGUISHING MEDIA: Water Fog, Sand/Earth, Foam, and Carbon Dioxide.

SPECIAL FIRE FIGHTING PROCEDURES: Must wear NIOSH approved self-containing breathing apparatus and protective clothing. Cool fire exposed container with water spray.

UNUSUAL FIRE & EXPLOSION HAZARDS: NA

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth.. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Protect containers against physical damage. Keep closed until used. Store in a dry place at ambient temperatures. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Avoid contact with eyes.

OTHER PRECAUTIONS: Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Gel

STATE: Liquid

ODOR: Citrus Floral

PERCENT VOLATILE:

SPECIFIC GRAVITY: 1.000 +/-0.01

VISCOSITY: 16,000 – 24, 000 CPS

EVAPORATION RATE: Slower than Ether

VAPOR PRESSURE mm Hg @ 20°C: NA

BOILING POINT: Not determined
VAPOR DENSITY (Air=1): Heavier than Air
SOLUBILITY IN WATER: Miscible
pH VALUE: 5.00 – 5.50
MELTING/FREEZING POINT: 0°C

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Strong acids and oxidizing agents
HAZARDOUS POLYMERIZATION: Will not occur
HAZARDOUS DECOMPOSITION PRODUCTS: May produce toxic fumes of oxides of carbon, sulfur and nitrogen; ammonia
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Extreme temperatures

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	None
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Healthy Sexy Hair Reinvent Color Care Top Coat
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	None
IMDG HAZARD CLASS:	None
IMDG LABELS REQUIRED:	None
IMDG SECONDARY LABELS REQUIRED:	None
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Healthy Sexy Hair Reinvent Color Care Top Coat
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMS NUMBER:	None
MFAG NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	None
UN/NA CODE:	None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-); Acute and Fire Hazard Ethane,1,1-Difluoro-, Ethanol)

SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate 1=Slight/Slight 0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397

Shipping Address:

21551 Prairie Street
Chatsworth, CA 91311
(818) 718-6982

HEALTHY SEXY HAIR REINVENT COLOR EXTEND CONDITIONER

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: April 16, 2010

REVISION DATE:

SUPERSEDES: N/A

FORMULA: AGD021810B

PREPARED AND REVISED BY: Alison Robinson

GENERIC/CHEMICAL NAME: Conditioner

PRODUCT TYPE/CHEMICAL FAMILY: N/A

PRODUCT CODE: 34CONFN01; 34CONFN10; 34CONFN33

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 21551 Prairie Street, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation

SKIN CONTACT: May be irritating to extra-sensitive skin

INHALATION: Not Known.

INGESTION: If ingested, may cause nausea and/or vomiting.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention.

INGESTION: Give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: N/A

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): NA

EXTINGUISHING MEDIA: Foam, Water Fog, Sand and Carbon Dioxide.

SPECIAL FIRE FIGHTING PROCEDURES: Must wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire exposed container with water spray.

UNUSUAL FIRE & EXPLOSION HAZARDS: NA

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Caution! Floor may become slippery. Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Precautions to be Taken in Handling and Storing: Keep containers closed until used. Do not store in heat or direct sunlight.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Avoid contact with eyes.

OTHER PRECAUTIONS: Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: White to off-white lotion
STATE: Viscous Liquid
ODOR: Characteristic, floral
PERCENT VOLATILE: > 75% as water.
SPECIFIC GRAVITY: 0.98 +/- 0.01
VISCOSITY: 10,000 – 20,000 CPS
EVAPORATION RATE: Slower than Ether
VAPOR PRESSURE mm Hg @ 20°C: NA
BOILING POINT: Not determined
VAPOR DENSITY (Air=1): Heavier than air.
SOLUBILITY IN WATER: Miscible
pH VALUE: 4.5 to 5.0
MELTING/FREEZING POINT: 0°C

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Strong acids and oxidizing agents
HAZARDOUS POLYMERIZATION: Will not occur
HAZARDOUS DECOMPOSITION PRODUCTS: Under severe heat or ignition will generate carbon monoxide, oxides of nitrogen, and other organic breakdown fumes.
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Strong acids and oxidizing agents

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME: None
IATA HAZARD CLASS: None
IATA LABELS REQUIRED: None
BILL OF LADING DESCRIPTION: Healthy Sexy Hair Reinvent Treatment for Damaged
Fine, Thin Hair
UN/NA CODE: None
PACKING INSTRUCTIONS: None
EMERGENCY RESPONSE GUIDE NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC: Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls
accepted)

IMDG PROPER SHIPPING NAME: None
IMDG HAZARD CLASS: None
IMDG LABELS REQUIRED: None
IMDG SECONDARY LABELS REQUIRED: None
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Healthy Sexy Hair Reinvent Treatment for Damaged
Fine, Thin Hair
No
MARINE POLLUTANT: None
EMERGENCY RESPONSE GUIDE NUMBER: None
EMS NUMBER: None
MFAG NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC: Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls
accepted)
IMDG PAGE NUMBER: None
UN/NA CODE: None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release ; Acute and Fire Hazard

SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings
Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection
Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists
CAS# - Chemical Abstract System No.
DOT -Department Of Transportation
IMDG - International Maritime Dangerous Goods code
NA - Not Applicable
ND - Not Determined
NFPA - National Fire Protection Association
OSHA - Occupational Safety and Health Administration
PEL - Permissible Exposure Limits
ppm - Parts Per Million
PMCC - Pensky-Martin Closed Cup (flash point)
SARA - Superfund Amendments and Reauthorization Act Title I, II, III
TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
 21551 Prairie Avenue
 Chatsworth, CA 91311
 (818) 435-0800

HEALTHY SEXY HAIR REINVENT COLOR EXTEND SHAMPOO FOR DAMAGED FINE THIN HAIR

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: April 6, 2010

REVISION DATE: N/A

SUPERSEDES: N/A

FORMULA: AGD021810A

PREPARED AND REVISED BY: Alison Robinson

GENERIC/CHEMICAL NAME: Shampoo

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 34SHAFN01; 34SHAFN10; 34SHAFN33

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 21551 Prairie, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation

SKIN CONTACT: May cause occasional mild irritation to extra-sensitive skin

INHALATION: Not Applicable

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: NA

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): NA

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water, Sand

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: None

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Caution! Spilled material is slippery. Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required. If vapors are generated, respirator required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: White to off-white, opaque, semi-viscous pearlescent liquid

STATE: Liquid

ODOR: Characteristic, floral

PERCENT VOLATILE: Not Determined

SPECIFIC GRAVITY: 1.02 +/- 0.01

VISCOSITY: 18,000 – 28,000 cps

EVAPORATION RATE: Slower than Ether

VAPOR PRESSURE mm Hg @ 20°C: NA

BOILING POINT: N/A

VAPOR DENSITY (Air=1): Heavier than air.

SOLUBILITY IN WATER: Miscible

pH VALUE: 5.5 - 6.0

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: Strong acids and oxidizing agents

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Extreme temperatures

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Oxidizing agents and strong acids

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME: Not Regulated
U. S. DOT HAZARD CLASS: None
U. S. DOT LABELS REQUIRED: None
U. S. DOT PLACARDS REQUIRED: None
EMERGENCY RESPONSE GUIDE NUMBER: None

IATA PROPER SHIPPING NAME: None
IATA HAZARD CLASS: None
IATA LABELS REQUIRED: None
BILL OF LADING DESCRIPTION: Healthy Sexy Hair Reinvent Color Extend Shampoo
for Damaged Fine Thin Hair
UN/NA CODE: None
PACKING INSTRUCTIONS: None
EMERGENCY RESPONSE GUIDE NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls
accepted)

IMDG PROPER SHIPPING NAME: None
IMDG HAZARD CLASS: None
IMDG LABELS REQUIRED: None
IMDG SECONDARY LABELS REQUIRED: None
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Healthy Sexy Hair Reinvent Color Extend Shampoo
for Damaged Fine Thin Hair
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: None
EMS NUMBER: None
MFAG NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls
accepted)
IMDG PAGE NUMBER: None
UN/NA CODE: None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release; Acute and Fire Hazard
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings
Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection
Association (NFPA 704) Identification of the Fire Hazards of Materials.

NPCA-HMIS NFPA 704 KEY:NPCA-HMIS/NFPA 704

HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993

**Customer No.:** 222397**Shipping Address:**21551 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800**HEALTHY SEXY HAIR
REINVENT COLOR
EXTEND SHAMPOO
FOR OVERLY
DAMAGED
THICK/COARSE HAIR****Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION****MSDS FIRST PREPARATION DATE:** April 6, 2010**REVISION DATE:** N/A**SUPERSEDES:** N/A**FORMULA:** KAH021510A**PREPARED AND REVISED BY:** Alison Robinson**GENERIC/CHEMICAL NAME:** Shampoo**PRODUCT TYPE/CHEMICAL FAMILY:** NA**PRODUCT CODE:** 34SHATC01;34SHATC10;34SHATC33**SYNONYMS:** None**CONTACT ADDRESS:** Sexy Hair Concepts, 21551 Prairie, Chatsworth, CA 91311**EMERGENCY PHONE NUMBERS:****CHEMTREC:** Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)**Section II - COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION**POTENTIAL HEALTH EFFECTS****EYE CONTACT:** May cause eye irritation**SKIN CONTACT:** May cause occasional mild irritation.**INHALATION:** Not Applicable**INGESTION:** If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: NA

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): NA

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water, Sand

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: None

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Caution! Floor may become slippery. Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required. If vapors are generated, respirator required.
VENTILATION: Normal Ventilation adequate for recommended uses.
PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.
EYE PROTECTION: Not necessary except as a good industrial practice.
OTHER PRECAUTIONS: Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Pearly white viscous liquid
STATE: Liquid
ODOR: Characteristic, Fruitty floral
PERCENT VOLATILE: Not Determined
SPECIFIC GRAVITY: 1.01 +/- 0.01
VISCOSITY: 25,000 – 35, 000 cps
EVAPORATION RATE: Slower than Ether
VAPOR PRESSURE mm Hg @ 20°C: NA
BOILING POINT: N/A
VAPOR DENSITY (Air=1): Heavier than air.
SOLUBILITY IN WATER: Miscible
pH VALUE: 5.0 - 6.0

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Strong acids and oxidizing agents
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Extreme temperatures
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Oxidizing agents and strong acids

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	None
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Healthy Sexy Hair Reinvent Color Extend Shampoo for Overly Damaged Hair Thick Coarse Hair
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	None
IMDG HAZARD CLASS:	None
IMDG LABELS REQUIRED:	None
IMDG SECONDARY LABELS REQUIRED:	None
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Healthy Sexy Hair Reinvent Color Extend Shampoo for Overly Damaged Hair Thick Coarse Hair
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMS NUMBER:	None
MFAG NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	None
UN/NA CODE:	None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release ; Acute and Fire Hazard
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

NPCA-HMIS NFPA 704 KEY:NPCA-HMIS/NFPA 704

HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists
CAS# - Chemical Abstract System No.
DOT -Department Of Transportation
IMDG - International Maritime Dangerous Goods code
NA - Not Applicable
ND - Not Determined
NFPA - National Fire Protection Association
OSHA - Occupational Safety and Health Administration
PEL - Permissible Exposure Limits
ppm - Parts Per Million
PMCC - Pensky-Martin Closed Cup (flash point)
SARA - Superfund Amendments and Reauthorization Act Title I, II, III
TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993

**Customer No.:** 222397**Shipping Address:**21551 Prairie Street
Chatsworth, CA 91311
(818) 718-6982**HEALTHY SEXY HAIR
REINVENT COLOR
EXTEND TREATMENT****Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION****MSDS FIRST PREPARATION DATE:** April 16, 2010**REVISION DATE:****SUPERSEDES:** N/A**FORMULA:** KAH021510B**PREPARED AND REVISED BY:** Alison Robinson**GENERIC/CHEMICAL NAME:** Conditioner**PRODUCT TYPE/CHEMICAL FAMILY:** N/A**PRODUCT CODE:** 34TRTTC01; 34TRTTC06; 34TRTTC16**SYNONYMS:** None**CONTACT ADDRESS:** Sexy Hair Concepts, 21551 Prairie Street, Chatsworth, CA 91311**EMERGENCY PHONE NUMBERS:****CHEMTREC:** Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)**Section II - COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION**POTENTIAL HEALTH EFFECTS****EYE CONTACT:** May cause eye irritation**SKIN CONTACT:** May be irritating to extra-sensitive skin**INHALATION:** Not Known.**INGESTION:** If ingested, may cause nausea and/or vomiting.

RESPIRATORY PROTECTION: None Required.
VENTILATION: Normal Ventilation adequate for recommended uses.
PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.
EYE PROTECTION: Avoid contact with eyes.
OTHER PRECAUTIONS: Read and follow all label directions and cautions. Use only as directed.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

STORAGE TEMPERATURE: Ambient
STORAGE/TRANSPORT PRESSURE: Ambient
LOADING/UNLOADING TEMPERATURE: Ambient
STORAGE AND HANDLING: Precautions to be Taken in Handling and Storing: Keep containers closed until used. Do not store in heat or direct sunlight.

Section VII - STORAGE AND HANDLING

SPILL ON LAND: Caution! Floor may become slippery. Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VI - ACCIDENTAL RELEASE MEASURES

FLASH POINT: N/A
AUTOIGNITION TEMPERATURE: NA
FLAMMABILITY LIMITS IN AIR (% V): NA
EXTINGUISHING MEDIA: Foam, Water Fog, Sand and Carbon Dioxide.
SPECIAL FIRE FIGHTING PROCEDURES: Must wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire exposed container with water spray.
UNUSUAL FIRE & EXPLOSION HAZARDS: NA

Section V - FIRE FIGHTING MEASURES

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.
SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.
INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention.
INGESTION: Give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section IV - FIRST AID

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: White lotion
 STATE: Viscous Liquid
 ODOR: Characteristic, Fruity, floral
 PERCENT VOLATILE: > 75% as water.
 SPECIFIC GRAVITY: 0.996 +/- 0.01
 VISCOSITY: 18,000 – 22,000 CPS
 EVAPORATION RATE: Slower than Ether
 VAPOR PRESSURE mm Hg @ 20°C: NA
 BOILING POINT: Not determined
 VAPOR DENSITY (Air=1): Heavier than air.
 SOLUBILITY IN WATER: Miscible
 pH VALUE: 3.5 to 4.0
 MELTING/FREEZING POINT: 0°C

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
 CONDITIONS TO AVOID INSTABILITY: Strong acids and oxidizing agents
 HAZARDOUS POLYMERIZATION: Will not occur
 HAZARDOUS DECOMPOSITION PRODUCTS: Under severe heat or ignition will generate carbon monoxide, oxides of nitrogen, and other organic breakdown fumes.
 MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Strong acids and oxidizing agents

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME: Not Regulated
 U. S. DOT HAZARD CLASS: None
 U. S. DOT LABELS REQUIRED: None
 U. S. DOT PLACARDS REQUIRED: None
 EMERGENCY RESPONSE GUIDE NUMBER: None

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists
CAS# - Chemical Abstract System No.
DOT - Department Of Transportation
IMDG - International Maritime Dangerous Goods code
NA - Not Applicable
ND - Not Determined
NFPA - National Fire Protection Association
OSHA - Occupational Safety and Health Administration
PEL - Permissible Exposure Limits
ppm - Parts Per Million
PMCC - Pensky-Martin Closed Cup (Flash point)
SARA - Superfund Amendments and Reauthorization Act Title I, II, III
TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



222397

Address:

Street

City 91311

HEALTHY SEXY HAIR ACTIVATING SCALP CARE TREATMENT

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: October 3, 2011

REVISION DATE: N/A

SUPERSEDES:

FORMULA: TB-228-47-R

PREPARED AND REVISED BY: Alison Robinson

GENERIC/CHEMICAL NAME: Activating Scalp Care Treatment

PRODUCT TYPE/CHEMICAL FAMILY: N/A

PRODUCT CODE: 34ACTTRT04;34ACTTRT01

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 21551 Prairie Street, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: N/A

AUTOIGNITION TEMPERATURE: N/A

FLAMMABILITY LIMITS IN AIR (% V): N/A

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: NA

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Caution! Floors may become slippery. Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, direct sunlight, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Pale straw to match standard

STATE: Water thin liquid

ODOR: Characteristic

PERCENT VOLATILE: > 75% as water

SPECIFIC GRAVITY: N/A

VISCOSITY: Min. N/A

EVAPORATION RATE: N/A

VAPOR PRESSURE mm Hg @ 20°C: N/A

BOILING POINT: 100°C

VAPOR DENSITY (Air=1): N/A

SOLUBILITY IN WATER: Soluble

pH VALUE: Min. 4.80

MELTING/FREEZING POINT: 0°C

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: Extreme heat, open flames

HAZARDOUS POLYMERIZATION: Will not occur

HAZARDOUS DECOMPOSITION PRODUCTS: Under severe heat or ignition will generate carbon monoxide, oxides of nitrogen, and other organic breakdown fumes.

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None known.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	None
IATA HAZARD CLASS:	None

IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Activating Scalp Care Treatment
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	None
IMDG HAZARD CLASS:	None
IMDG LABELS REQUIRED:	None
IMDG SECONDARY LABELS REQUIRED:	None
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Activating Scalp Care Treatment
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMS NUMBER:	None
MFAG NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	None
UN/NA CODE:	None
U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute and Fire Hazard (Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



222397

Address:

Street

City 91311

HEALTHY SEXY HAIR ACTIVATING SCALP CARE MOUSSE

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: October 3, 2011

REVISION DATE: N/A

SUPERSEDES:

FORMULA: TB-228-29

PREPARED AND REVISED BY: Alison Robinson

GENERIC/CHEMICAL NAME: Activating Scalp Care Mousse

PRODUCT TYPE/CHEMICAL FAMILY: Mousse

PRODUCT CODE: 34ACTMOU06;34ACTMOU01

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 21551 Prairie Street, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: N/A

AUTOIGNITION TEMPERATURE: N/A

FLAMMABILITY LIMITS IN AIR (% V): N/A

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: NA

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Caution! Floors may become slippery. Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, direct sunlight, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Pale yellow to match standard

STATE: Water thin liquid

ODOR: Characteristic

PERCENT VOLATILE: > 75% as water

SPECIFIC GRAVITY: N/A

VISCOSITY: Min. N/A

EVAPORATION RATE: N/A

VAPOR PRESSURE mm Hg @ 20°C: N/A

BOILING POINT: 100°C

VAPOR DENSITY (Air=1): N/A

SOLUBILITY IN WATER: Soluble

pH VALUE: Min. 4.50

MELTING/FREEZING POINT: 0°C

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: Extreme heat, open flames

HAZARDOUS POLYMERIZATION: Will not occur

HAZARDOUS DECOMPOSITION PRODUCTS: Under severe heat or ignition will generate carbon monoxide, oxides of nitrogen, and other organic breakdown fumes.

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None known.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	None
IATA HAZARD CLASS:	None

IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Activating Scalp Care Mousse
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	None
IMDG HAZARD CLASS:	None
IMDG LABELS REQUIRED:	None
IMDG SECONDARY LABELS REQUIRED:	None
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Activating Scalp Care Mousse
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMS NUMBER:	None
MFAG NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PAGE NUMBER:	None
UN/NA CODE:	None
U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute and Fire Hazard (Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993

33-012-003



Customer No.: 222397
Shipping Address:
21551 Prairie Street
Chatsworth, CA 91311
(818) 435-0800

STRAIGHT SEXY HAIR SMOOTH & PROTECT FLAT IRON SPAY

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: June 16, 2009

REVISION DATE: N/A

SUPERSEDES: N/A

FORMULA: TEL9101 L37441

PREPARED AND REVISED BY: Alison Robinson

GENERIC/CHEMICAL NAME: Hair Spray

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE:

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 21551 Prairie Street, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Ethanol	64-17-5	51.0%		
Isobutane	75-28-5	28.0%	1000	ND
1,1-Difluoro-Ethane	75-37-6	7.0%		

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation, and may result in irreversible damage.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions

Section V - FIRE FIGHTING MEASURES

FLASH POINT: -30°F TCC (Propellant Only); Concentrate 36°F (EPA Method 1010)

AUTOIGNITION TEMPERATURE: N/A

FLAMMABILITY LIMITS IN AIR (% V): LEFL = 1.8%; UEL= 9.5%

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers may rupture and release flammable liquids and/or gasses if exposed to the heat of fire.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: 180 psig @131°F Max

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.
OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions.
Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Translucent Liquid, light Yellow
STATE: Aerosol
ODOR: Fruity Essence
PERCENT VOLATILE: 55%
SPECIFIC GRAVITY: 0.826 – 0.936
VISCOSITY: Aerosol @ambient
EVAPORATION RATE: >1
VAPOR PRESSURE mm Hg @ 20°C: Can pressure not to exceed 180 psig @ 131° F
BOILING POINT: Unknown
VAPOR DENSITY (Air=1): >1
SOLUBILITY IN WATER: Soluble
pH VALUE: ND
MELTING/FREEZING POINT: ND

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120° F
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: N/A
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None known.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Consumer Commodity
U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None

EMERGENCY RESPONSE GUIDE NUMBER: NAERG #171

IATA PROPER SHIPPING NAME: Consumer Commodity ORM-D (Domestic) Aerosols, Flammable, N.O.S., UN1950 (Export)
IATA HAZARD CLASS: 2.1
IATA LABELS REQUIRED: Consumer Commodity ORM-D-Air (Domestic) Flammable Gas (Export)
BILL OF LADING DESCRIPTION: Consumer Commodity ORM-D-AIR, 9, ID8000 (Domestic) Aerosols, Flammable, N.O.S., 2.1, UN 1950 (Export)
UN/NA CODE: NA (Domestic)
UN1950 (Export)
PACKING INSTRUCTIONS: 910 (Domestic)
203/Y203 (Export)
Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER: 126
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME: Aerosols
IMDG HAZARD CLASS: 2.1
IMDG LABELS REQUIRED: **CARTON MUST BE MARKED "AEROSOLS"**
IMDG SECONDARY LABELS REQUIRED: **Hollow Diamond with UN1950 Marked in Center**
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Aerosol, 2, UN1950
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: 126
EMS NUMBER: 2 - 13
MFAG NUMBER: 620
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER: 2102
UN/NA CODE: UN1950

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Isobutane, Propane, Butane); Acute and Fire Hazard (Isobutane, Propane, Butane)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme

FLAMMABILITY	4	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

HEALTHY SOYMILK CONDITIONER

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: February 22, 2006

REVISION DATE: September 27, 2007

SUPERSEDES: February 22, 2006

FORMULA: DS-102-47

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Conditioner

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 24CON02; 24CON08; 24CON128; 24CON128N; 24CON13; 24CON13N;

24CON33; 24CON33N; 05FOILSOYCON; 05FOILSOYCON-N

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation and/or blurred vision.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: NA

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): NA

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: None

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required. If vapors are generated, respirator required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Opaque viscous liquid.

STATE: Viscous Liquid

ODOR: Characteristic
PERCENT VOLATILE: > 75% as water
SPECIFIC GRAVITY: Min. 0.975
VISCOSITY: Min. 8,500 cps
EVAPORATION RATE: As water
VAPOR PRESSURE mm Hg @ 20°C: NA
BOILING POINT: NA
VAPOR DENSITY (Air=1): NA
SOLUBILITY IN WATER: Dispersible
pH VALUE: Min. 4.0

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Extreme heat, open flames
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Carbon dioxide and carbon monoxide.
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Oxidizing agents.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	None
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Healthy Soymilk Conditioner
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300

International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME: None
IMDG HAZARD CLASS: None
IMDG LABELS REQUIRED: None
IMDG SECONDARY LABELS REQUIRED: None
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Healthy Soymilk Conditioner
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: None
EMS NUMBER: None
MFAG NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER: None
UN/NA CODE: None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-); Acute and Fire Hazard Ethane,1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	4	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists
CAS# - Chemical Abstract System No.
DOT -Department Of Transportation
IMDG - International Maritime Dangerous Goods code
NA - Not Applicable
ND - Not Determined
NFPA - National Fire Protection Association
OSHA - Occupational Safety and Health Administration
PEL - Permissible Exposure Limits
ppm - Parts Per Million
PMCC - Pensky-Martin Closed Cup (flash point)
SARA - Superfund Amendments and Reauthorization Act Title I, II, III
TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

HEALTHY SOYMILK SHAMPOO

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: February 22, 2006

REVISION DATE: September 27, 2007

SUPERSEDES: February 22, 2006

FORMULA: RC-02-139

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Shampoo

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 24SHA02; 24SHA08; 24SHA128; 24SHA128N; 24SHA13; 24SHA13N;
24SSHA33; 24SHA33N; 05FOILSOYSHA; 05FOILSOYSHA-N

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation and/or blurred vision.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: NA

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): NA

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: None

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required. If vapors are generated, respirator required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Opaque white viscous liquid.

STATE: Viscous Liquid

ODOR: Characteristic
PERCENT VOLATILE: > 75% as water
SPECIFIC GRAVITY: Min. 1.01
VISCOSITY: Min. 8,000 cps
EVAPORATION RATE: As water
VAPOR PRESSURE mm Hg @ 20°C: NA
BOILING POINT: NA
VAPOR DENSITY (Air=1): NA
SOLUBILITY IN WATER: Dispersible
pH VALUE: Min. 5.5

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Extreme heat, open flames
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Carbon dioxide and carbon monoxide.
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Oxidizing agents.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	None
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Healthy Soymilk Shampoo
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300

International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	None
IMDG HAZARD CLASS:	None
IMDG LABELS REQUIRED:	None
IMDG SECONDARY LABELS REQUIRED:	None
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Healthy Soymilk Shampoo
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMS NUMBER:	None
MFAG NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	None
UN/NA CODE:	None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-; Acute and Fire Hazard Ethane,1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	4	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
 21551 Prairie Street
 Chatsworth, CA 91311
 (818) 435-0800

HEALTHY SEXY HAIR SOY RENEWAL BEACH SPRAY

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: April 12, 2012

REVISION DATE: N/A

SUPERSEDES:

FORMULA: KAH-071911-A

PREPARED AND REVISED BY: Alison Robinson

GENERIC/CHEMICAL NAME:

PRODUCT TYPE/CHEMICAL FAMILY: N/A

PRODUCT CODE: 34BCH05;34BCH01

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 21551 Prairie Street, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation

SKIN CONTACT: May be irritating to extra-sensitive skin

INHALATION: Not Applicable

INGESTION: If ingested, may cause gastrointestinal irritation

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

INHALATION: Not applicable

INGESTION: Give several glasses of water to dilute. Do not induce vomiting. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: N/A

AUTOIGNITION TEMPERATURE: N/A

FLAMMABILITY LIMITS IN AIR (% V): N/A

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Sand, Water Fog

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A NIOSH approved self-contained breathing apparatus and protective clothing should be worn when fighting fires. Cool fire exposed container with water spray.

UNUSUAL FIRE & EXPLOSION HAZARDS: N/A

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Caution! Floors may become slippery. Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, direct sunlight, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Transparent water thin liquid

STATE: Water thin liquid

ODOR: Characteristic

PERCENT VOLATILE: N/A

SPECIFIC GRAVITY: 1.071

VISCOSITY: Water-thin

EVAPORATION RATE: < Ether

VAPOR PRESSURE mm Hg @ 20°C: N/A

BOILING POINT: Not determined

VAPOR DENSITY (Air=1): N/A

SOLUBILITY IN WATER: Soluble

pH VALUE: 2.75 – 3.75

MELTING/FREEZING POINT: 0°C

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: Extreme temperatures

HAZARDOUS POLYMERIZATION: Will not occur

HAZARDOUS DECOMPOSITION PRODUCTS: May produce toxic fumes of oxides of carbon, sulfur and nitrogen; ammonia.

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Strong acids and oxidizing agents

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME: Not Regulated

U. S. DOT HAZARD CLASS: None

U. S. DOT LABELS REQUIRED: None

U. S. DOT PLACARDS REQUIRED: None

EMERGENCY RESPONSE GUIDE NUMBER: None

IATA PROPER SHIPPING NAME: None

IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Soy Renewal Beach Spray
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	None
IMDG HAZARD CLASS:	None
IMDG LABELS REQUIRED:	None
IMDG SECONDARY LABELS REQUIRED:	None
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Soy Renewal Beach Spray
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMS NUMBER:	None
MFAG NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	None
UN/NA CODE:	None
U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute and Fire Hazard (Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

HEALTHY SOY SMOOTHIE BODIFYING LOTION

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: March 10, 2006

REVISION DATE:

SUPERSEDES:

FORMULA: AM53-36

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Styling Straightener

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 24SMOOTHIE04, 24SMOOTHIE06; 05FOILSOYSMO; 05FOILSMOOTH-N

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation and/or blurred vision.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: NA

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): NA

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: None

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required. If vapors are generated, respirator required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Light amber, slightly hazy, viscous liquid.

STATE: Viscous Liquid

ODOR: Characteristic, Citrus scent
PERCENT VOLATILE: Not known
SPECIFIC GRAVITY: Min. 1.005
VISCOSITY: Not known
EVAPORATION RATE: Not known
VAPOR PRESSURE mm Hg @ 20°C: NA
BOILING POINT: NA
VAPOR DENSITY (Air=1): NA
SOLUBILITY IN WATER: Soluble
pH VALUE: 6.0 -7.0 @ 20°C

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Extreme heat, open flames
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Carbon dioxide and carbon monoxide.
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None known.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	None
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Healthy Soy Smoothie Bodifying Lotion
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300

International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	None
IMDG HAZARD CLASS:	None
IMDG LABELS REQUIRED:	None
IMDG SECONDARY LABELS REQUIRED:	None
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Healthy Soy Smoothie Bodifying Lotion
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMS NUMBER:	None
MFAG NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	None
UN/NA CODE:	None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-); Acute and Fire Hazard Ethane,1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	4	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

HEALTHY SOY PASTE TEXTURE POMADE

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: March 20, 2008

REVISION DATE:

SUPERSEDES:

FORMULA: MES3832/19802-R1

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Styling Paste/Cream

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 24PASTE02; 24PASTE02N

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation and/or blurring of vision.

SKIN CONTACT: May cause irritation.

INHALATION: Unlikely to pose problems when used as directed.

INGESTION: If ingested, may cause nausea and/or vomiting.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove any contaminated clothing. If symptoms persist or there is any visual impairment, seek medical attention. Launder contaminated clothing before re-use.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. Keep individual warm and quiet. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Seek immediate medical attention.

INGESTION: Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth. Place individual on left side with head down. Contact a physician. Medical facility or poison control center, for emergency advice. Do not induce vomiting unless specifically directed by qualified personnel. Do not leave individual unattended.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: NA

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): NA

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: NA

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children. Use only as directed.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed. Observe ordinary measures of personal hygiene.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Opaque off-white soft paste
STATE: Paste
ODOR: Characteristic
PERCENT VOLATILE: NA
SPECIFIC GRAVITY: Approx. 0.93
VISCOSITY: NA
EVAPORATION RATE: NA
VAPOR PRESSURE mm Hg @ 20°C: NA
BOILING POINT: NA
VAPOR DENSITY (Air=1): NA
SOLUBILITY IN WATER: Disperses
pH VALUE: Approx. 6.3

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Elevated temperatures and/or direct sunlight exposure.
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: None known
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Strong oxidizers.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	None
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Healthy Soy Paste Texture Pomade
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None

EMERGENCY RESPONSE GUIDE NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME: None
IMDG HAZARD CLASS: None
IMDG LABELS REQUIRED: None
IMDG SECONDARY LABELS REQUIRED: None
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Healthy Soy Paste Texture Pomade
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: None
EMS NUMBER: None
MFAG NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER: None
UN/NA CODE: None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-); Acute and Fire Hazard Ethane,1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	4	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



HEALTHY SEXY HAIR SOY TOUCHABLE

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: April 1, 2011

REVISION DATE:

SUPERSEDES:

FORMULA: L37994A

PREPARED AND REVISED BY: Alison Robinson

GENERIC/CHEMICAL NAME: Hair Spray

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 34TOUCH09; 34TOUCH01

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 21551 Prairie, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Ethanol	64-17-5	48.50	1000	1000
Hydrofluorocarbon 152a	75-37-6	39.60	1000	ND
Isobutane	75-28-5	6.44	1000	ND

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation, and may result in irreversible damage.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: -30°F TCC (Propellant Only); Concentrate 36°F (EPA Method 1010)

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): LEL=1.8%; UEL=9.5%

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers may rupture and release flammable liquids and /or gasses if exposed to the heat of fire.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: 180 psig @ 131°F Max

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions.
Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear Liquid, Straw Yellow

STATE: Aerosol

ODOR: Characteristic

PERCENT VOLATILE: 55 %

SPECIFIC GRAVITY: 0.817 – 0.837

VISCOSITY: Aerosol @ ambient

EVAPORATION RATE, >1

VAPOR PRESSURE mm Hg @ 20°C: Can pressure not to exceed 180 psig @ 131°F

BOILING POINT: Unknown

VAPOR DENSITY (Air=1): >1

SOLUBILITY IN WATER: Soluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120°F.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Not Applicable

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None Known

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible. Dispose of according to all federal, state and local regulations.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Consumer Commodity
U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	NAERG# 171

IATA PROPER SHIPPING NAME:	Consumer Commodity ORM-D (Domestic) Aerosols, Flammable, N.O.S., UN1950 (Export)
IATA HAZARD CLASS:	2.1
IATA LABELS REQUIRED:	Consumer Commodity ORM-D-AIR (Domestic) Flammable Gas (Export)
BILL OF LADING DESCRIPTION:	Consumer Commodity ORM-D-AIR, 9, ID8000 (Domestic) Aerosols, Flammable, N.O.S., 2.1, UN1950 (Export)
UN/NA CODE:	NA (Domestic) UN1950 (Export)
PACKING INSTRUCTIONS:	910 (Domestic) 203/Y203 (Export) Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Aerosols
IMDG HAZARD CLASS:	2.1
IMDG LABELS REQUIRED:	CARTON MUST BE MARKED "AEROSOLS"
IMDG SECONDARY LABELS REQUIRED:	Hollow Diamond with UN1950 Marked in Center
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Aerosol, 2, UN1950
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMS NUMBER:	2-13
MFAG NUMBER:	620
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	2102
UN/NA CODE:	UN1950

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-); Acute and Fire
Hazard Ethane,1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	4	NA	3=Serious/High
REACTIVITY	1	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



HEALTHY SEXY HAIR SOY TOUCHABLE

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: April 1, 2011

REVISION DATE:

SUPERSEDES:

FORMULA: L37994A

PREPARED AND REVISED BY: Alison Robinson

GENERIC/CHEMICAL NAME: Hair Spray

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 34TOUCH09; 34TOUCH01

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 21551 Prairie, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Ethanol	64-17-5	48.50	1000	1000
Hydrofluorocarbon 152a	75-37-6	39.60	1000	ND
Isobutane	75-28-5	6.44	1000	ND

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation, and may result in irreversible damage.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: -30°F TCC (Propellant Only); Concentrate 36°F (EPA Method 1010)

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): LEL=1.8%; UEL=9.5%

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers may rupture and release flammable liquids and /or gasses if exposed to the heat of fire.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: 180 psig @ 131°F Max

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions.
Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear Liquid, Straw Yellow

STATE: Aerosol

ODOR: Characteristic

PERCENT VOLATILE: 55 %

SPECIFIC GRAVITY: 0.817 – 0.837

VISCOSITY: Aerosol @ ambient

EVAPORATION RATE, >1

VAPOR PRESSURE mm Hg @ 20°C: Can pressure not to exceed 180 psig @ 131°F

BOILING POINT: Unknown

VAPOR DENSITY (Air=1): >1

SOLUBILITY IN WATER: Soluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120°F.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Not Applicable

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None Known

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible. Dispose of according to all federal, state and local regulations.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Consumer Commodity
U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	NAERG# 171

IATA PROPER SHIPPING NAME:	Consumer Commodity ORM-D (Domestic) Aerosols, Flammable, N.O.S., UN1950 (Export)
IATA HAZARD CLASS:	2.1
IATA LABELS REQUIRED:	Consumer Commodity ORM-D-AIR (Domestic) Flammable Gas (Export)
BILL OF LADING DESCRIPTION:	Consumer Commodity ORM-D-AIR, 9, ID8000 (Domestic) Aerosols, Flammable, N.O.S., 2.1, UN1950 (Export)
UN/NA CODE:	NA (Domestic) UN1950 (Export)
PACKING INSTRUCTIONS:	910 (Domestic) 203/Y203 (Export) Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Aerosols
IMDG HAZARD CLASS:	2.1
IMDG LABELS REQUIRED:	CARTON MUST BE MARKED "AEROSOLS"
IMDG SECONDARY LABELS REQUIRED:	Hollow Diamond with UN1950 Marked in Center
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Aerosol, 2, UN1950
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMS NUMBER:	2-13
MFAG NUMBER:	620
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	2102
UN/NA CODE:	UN1950

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-); Acute and Fire
Hazard Ethane,1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	4	NA	3=Serious/High
REACTIVITY	1	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397

Shipping Address:

20621 Prairie Avenue

Chatsworth, CA 91311

(818) 435-0800

HEALTHY SOY TRI-WHEAT LEAVE IN CONDITIONER

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: June 26, 2007

REVISION DATE:

SUPERSEDES:

FORMULA: AM53-30B

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Conditioner

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 24TWL01; 24TWL02; 24TWL04; 24TWL08; 24TWL08N13; 24TWL13;

24TWL16N; 24TWL33; 24TWL33N

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation and/or blurred vision.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: NA

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): NA

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: None

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required. If vapors are generated, respirator required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: White milk like liquid.

STATE: Liquid



Customer No.: 222397

Shipping Address:

20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

HEALTHY SOY TRI-WHEAT LEAVE IN CONDITIONER

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: June 26, 2007

REVISION DATE:

SUPERSEDES:

FORMULA: AM53-30B

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Conditioner

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 24TWL01; 24TWL02; 24TWL04; 24TWL08; 24TWL08N13; 24TWL13;
24TWL16N; 24TWL33; 24TWL33N

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation and/or blurred vision.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: NA

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): NA

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: None

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required. If vapors are generated, respirator required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: White milk like liquid.

STATE: Liquid

ODOR: Characteristic, citrus
PERCENT VOLATILE: Not Determined
SPECIFIC GRAVITY: Min. 0.98
VISCOSITY: Unknown.
EVAPORATION RATE: Not Determined
VAPOR PRESSURE mm Hg @ 20°C: NA
BOILING POINT: NA
VAPOR DENSITY (Air=1): NA
SOLUBILITY IN WATER: Complete
pH VALUE: 5.5 – 6.5 @ 25°C

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Extreme heat, open flames
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Carbon dioxide and carbon monoxide.
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Oxidizing agents.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	None
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Healthy Soy Tri-Wheat Leave In Conditioner
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300

International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME: None
IMDG HAZARD CLASS: None
IMDG LABELS REQUIRED: None
IMDG SECONDARY LABELS REQUIRED: None
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Healthy Soy Tri-Wheat Leave In Conditioner
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: None
EMS NUMBER: None
MFAG NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER: None
UN/NA CODE: None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane, 1,1-Difluoro-); Acute and Fire Hazard Ethane, 1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

HEALTHY SOYA WANT FLAT HAIR

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: April 24, 2007

REVISION DATE:

SUPERSEDES:

FORMULA: TEL3021/ L32860-B1 55% VOC

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Hair Spray

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 24FLATHAIR04; 24FLATHAIR04-CA; 24FLATHAIR04-HW;
24FLATHAIR05; 24FLATHAIR05-HW

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Ethanol	64-17-5	54.0	1000	1000
Hydrofluorocarbon 152a	75-37-6	38.0	1000	ND
Aminomethyl Propanol	124-68-5	1.0	None Established	

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation, and may result in irreversible damage.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: -30°F TCC (Propellant Only); Concentrate 36°F (EPA Method 1010)

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): LEL=1.8%; UEL=9.5%

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers may rupture and release flammable liquids and /or gasses if exposed to the heat of fire.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: 180 psig @ 131°F Max

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions.
Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear Liquid, Light to Straw Yellow Liquid

STATE: Aerosol

ODOR: Standard

PERCENT VOLATILE: 55 %

SPECIFIC GRAVITY: 0.810 – 0.820

VISCOSITY: Aerosol @ ambient

EVAPORATION RATE, >1

VAPOR PRESSURE mm Hg @ 20°C: Can pressure not to exceed 180 psig @ 131°F

BOILING POINT: Unknown

VAPOR DENSITY (Air=1): >1

SOLUBILITY IN WATER: Soluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120°F.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Not Applicable

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None Known

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible. Dispose of according to all federal, state and local regulations.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME: Consumer Commodity
U. S. DOT HAZARD CLASS: ORM-D
U. S. DOT LABELS REQUIRED: None
U. S. DOT PLACARDS REQUIRED: None
EMERGENCY RESPONSE GUIDE NUMBER: NAERG# 171

IATA PROPER SHIPPING NAME: Consumer Commodity ORM-D (Domestic)
Aerosols, Flammable, N.O.S., UN1950 (Export)
IATA HAZARD CLASS: 2.1
IATA LABELS REQUIRED: Consumer Commodity ORM-D-AIR (Domestic)
Flammable Gas (Export)
BILL OF LADING DESCRIPTION: Consumer Commodity ORM-D-AIR, 9, ID8000
(Domestic)
Aerosols, Flammable, N.O.S., 2.1, UN1950 (Export)
UN/NA CODE: NA (Domestic)
UN1950 (Export)
PACKING INSTRUCTIONS: 910 (Domestic)
203/Y203 (Export)
Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER: 126
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls
accepted)

IMDG PROPER SHIPPING NAME: Aerosols
IMDG HAZARD CLASS: 2.1
IMDG LABELS REQUIRED: CARTON MUST BE MARKED "AEROSOLS"
IMDG SECONDARY LABELS REQUIRED: Hollow Diamond with UN1950 Marked in Center
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Aerosol, 2, UN1950
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: 126
EMS NUMBER: 2-13
MFAG NUMBER: 620
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls
accepted)
IMDG PAGE NUMBER: 2102
UN/NA CODE: UN1950

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane, 1,1-Difluoro-); Acute and Fire
Hazard Ethane, 1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	4	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

HEALTHY SOYA WANT FULL HAIR

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: October 9, 2006

REVISION DATE:

SUPERSEDES:

FORMULA: TEL2521/ L32824-C1 55% VOC

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Hair Spray

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 24FULLHAIR02, 24FULLHAIR09, 24FULLHAIR09-HW; 24FULLHAIR10;
24FULLHAIR10-HW

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Ethanol	64-17-5	55.0	1000	1000
Hydrofluorocarbon 152a	75-37-6	38.0	1000	ND
Aminomethyl Propanol	124-68-5	1.0	None Established	

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation, and may result in irreversible damage.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: -30°F TCC (Propellant Only); Concentrate 36°F (EPA Method 1010)

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): LEL=1.8%; UEL=9.5%

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers may rupture and release flammable liquids and /or gasses if exposed to the heat of fire.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: 180 psig @ 131°F Max

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions.
Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear Liquid, FFM, Light Straw Yellow Liquid
STATE: Aerosol
ODOR: Standard
PERCENT VOLATILE: 55 %
SPECIFIC GRAVITY: 0.818 – 0.838
VISCOSITY: Aerosol @ ambient
EVAPORATION RATE, >1
VAPOR PRESSURE mm Hg @ 20°C: Can pressure not to exceed 180 psig @ 131°F
BOILING POINT: Unknown
VAPOR DENSITY (Air=1): >1
SOLUBILITY IN WATER: Soluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120°F.
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Not Applicable
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None Known

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible. Dispose of according to all federal, state and local regulations.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Consumer Commodity
U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	NAERG# 171

IATA PROPER SHIPPING NAME:	Consumer Commodity ORM-D (Domestic) Aerosols, Flammable, N.O.S., UN1950 (Export)
IATA HAZARD CLASS:	2.1
IATA LABELS REQUIRED:	Consumer Commodity ORM-D-AIR (Domestic) Flammable Gas (Export)
BILL OF LADING DESCRIPTION:	Consumer Commodity ORM-D-AIR, 9, ID8000 (Domestic) Aerosols, Flammable, N.O.S., 2.1, UN1950 (Export)
UN/NA CODE:	NA (Domestic) UN1950 (Export)
PACKING INSTRUCTIONS:	910 (Domestic) 203/Y203 (Export) Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Aerosols
IMDG HAZARD CLASS:	2.1
IMDG LABELS REQUIRED:	CARTON MUST BE MARKED "AEROSOLS"
IMDG SECONDARY LABELS REQUIRED:	Hollow Diamond with UN1950 Marked in Center
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Aerosol, 2, UN1950
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMS NUMBER:	2-13
MFAG NUMBER:	620
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	2102
UN/NA CODE:	UN1950

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory

SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane, 1,1-Difluoro-); Acute and Fire Hazard Ethane, 1,1-Difluoro-, Ethanol)

SARA TITLE III, Section 313: None noted

CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	4	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397

Shipping Address:

21551 Prairie Street
Chatsworth, CA 91311
(818) 435-0800

SPRAY & STAY HAIRSPRAY

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: September 23, 2009

REVISION DATE: N/A

SUPERSEDES: N/A

FORMULA: L37508-B

PREPARED AND REVISED BY: Alison Robinson

GENERIC/CHEMICAL NAME: Hair Spray

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE:

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 21551 Prairie Street, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Ethanol	64-17-5	54.0	1000	1000
Hydrofluorocarbon 152a	75-37-6	39.0	1000	ND
Aminomethyl Propanol	124-68-5	1.0	None Established	

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation, and may result in irreversible damage.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions

Section V - FIRE FIGHTING MEASURES

FLASH POINT: -30°F TCC (Propellant Only)

AUTOIGNITION TEMPERATURE: N/A

FLAMMABILITY LIMITS IN AIR (% V): LEFL = 1.8%; UEL= 9.5%

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers may rupture and release flammable liquids and/or gasses if exposed to the heat of fire.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: 180 psig @131°F Max

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.
OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions.
Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear Liquid, Straw
STATE: Aerosol
ODOR: Standard
PERCENT VOLATILE: 55%
SPECIFIC GRAVITY: 0.805 – 0.825
VISCOSITY: Aerosol @ambient
EVAPORATION RATE: >1
VAPOR PRESSURE mm Hg @ 20°C: Can pressure not to exceed 180 psig @131° F
BOILING POINT: Unknown
VAPOR DENSITY (Air=1): >1
SOLUBILITY IN WATER: Soluble
pH VALUE: ND
MELTING/FREEZING POINT: ND

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120° F
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: N/A
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None known.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible. Dispose of according to all federal, state and local regulations.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Consumer Commodity
U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	NAERG #171

IATA PROPER SHIPPING NAME: Consumer Commodity ORM-D (Domestic) Aerosols, Flammable, N.O.S., UN1950 (Export)

IATA HAZARD CLASS: 2.1

IATA LABELS REQUIRED: Consumer Commodity ORM-D-Air (Domestic) Flammable Gas (Export)

BILL OF LADING DESCRIPTION: Consumer Commodity ORM-D-AIR, 9, ID8000 (Domestic) Aerosols, Flammable, N.O.S., 2.1, UN 1950 (Export)

UN/NA CODE: NA (Domestic)
UN1950 (Export)

PACKING INSTRUCTIONS: 910 (Domestic)
203/Y203 (Export)
Authorization: Limited Quantity

EMERGENCY RESPONSE GUIDE NUMBER: 126

EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME: Aerosols

IMDG HAZARD CLASS: 2.1

IMDG LABELS REQUIRED: **CARTON MUST BE MARKED "AEROSOLS"**

IMDG SECONDARY LABELS REQUIRED: **Hollow Diamond with UN1950 Marked in Center**

IMDG PLACARDS REQUIRED: None

BILL OF LADING DESCRIPTION: Aerosol, 2, UN1950

MARINE POLLUTANT: No

EMERGENCY RESPONSE GUIDE NUMBER: 126

EMS NUMBER: 2 - 13

MFAG NUMBER: 620

EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls accepted)

IMDG PAGE NUMBER: 2102

UN/NA CODE: UN1950

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory

SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane, 1,1-Difluoro-); Acute and Fire Hazard (Ethane, 1,1-Difluoro-, Ethanol)

SARA TITLE III, Section 313: None noted

CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	4	NA	3=Serious/High

REACTIVITY	0	NA	2=Moderate/Moderate 1=Slight/Slight 0=Minimal/Insignificant
------------	---	----	---

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists
CAS# - Chemical Abstract System No.
DOT -Department Of Transportation
IMDG - International Maritime Dangerous Goods code
NA - Not Applicable
ND - Not Determined
NFPA - National Fire Protection Association
OSHA - Occupational Safety and Health Administration
PEL - Permissible Exposure Limits
ppm - Parts Per Million
PMCC - Pensky-Martin Closed Cup (flash point)
SARA - Superfund Amendments and Reauthorization Act Title I, II, III
TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397

Shipping Address:

21551 Prairie Street
Chatsworth, CA 91311
(818) 435-0800

SPRITZ & STAY HAIRSPRAY

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: September 10, 2010

REVISION DATE: N/A

SUPERSEDES: N/A

FORMULA: L37842

PREPARED AND REVISED BY: Alison Robinson

GENERIC/CHEMICAL NAME: Non- Aerosol Hair Spray

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 15SPRTZ01;15SPRTZ08

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 21551 Prairie Street, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Ethanol	64-17-5	55.0	1000	1000

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation, and may result in irreversible damage.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions

Section V - FIRE FIGHTING MEASURES

FLASH POINT: Concentrate 36°F (EPA Method 1010)

AUTOIGNITION TEMPERATURE: N/A

FLAMMABILITY LIMITS IN AIR (% V): LEFL = 1.8%; UEL= 9.5%

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers may rupture and release flammable liquids and/or gasses if exposed to the heat of fire.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions.
Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear Liquid, FFM

STATE: Non Aerosol

ODOR: Characteristic

PERCENT VOLATILE: 55%

SPECIFIC GRAVITY: 0.885 – 0.905 @ 20° C

VISCOSITY: Non-Aerosol @ambient

EVAPORATION RATE: >1

VAPOR PRESSURE mm Hg @ 20°C: Can pressure not to exceed 180 psig @131° F

BOILING POINT: 173° F

VAPOR DENSITY (Air=1): >1

SOLUBILITY IN WATER: Soluble

pH VALUE: ND

MELTING/FREEZING POINT: ND

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120° F

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: N/A

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None known.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. May be disposed of by controlled incineration. Do not contaminate

any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible. Dispose of according to all federal, state and local regulations. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME: Consumer Commodity
U. S. DOT HAZARD CLASS: ORM-D
U. S. DOT LABELS REQUIRED: None
U. S. DOT PLACARDS REQUIRED: None
EMERGENCY RESPONSE GUIDE NUMBER: NAERG #171

IATA PROPER SHIPPING NAME: Consumer Commodity ORM-D (Domestic) Ethyl Alcohol Solution, N.O.S., UN1170, PG II (Export)
IATA HAZARD CLASS: 3
IATA LABELS REQUIRED: Consumer Commodity ORM-D-Air (Domestic) Flammable Liquid
BILL OF LADING DESCRIPTION: Consumer Commodity ORM-D-AIR, 3, UN 1170 (Domestic) Ethanol Solution, 3, UN 1170, PG II (Export)
UN/NA CODE: NA (Domestic) UN1170 (Export)
PACKING INSTRUCTIONS: 305 (Domestic) Y305 (Export) Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER: 126
EMERGENCY RESPONSE NUMBERS: CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME: Ethyl Alcohol Solution
IMDG HAZARD CLASS: 3
IMDG LABELS REQUIRED: Flammable Liquids
IMDG SECONDARY LABELS REQUIRED: NA
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Ethyl Alcohol Solution, 3, UN1170 PG II
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: 126
EMS NUMBER: 3-06
MFAG NUMBER: 144
EMERGENCY RESPONSE NUMBERS: CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER: 247, volume 2
UN/NA CODE: UN1170

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-);Acute and Fire Hazard (Ethane,1,1-Difluoro-, Ethanol)

SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	4	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate 1=Slight/Slight 0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists
CAS# - Chemical Abstract System No.
DOT -Department Of Transportation
IMDG - International Maritime Dangerous Goods code
NA - Not Applicable
ND - Not Determined
NFPA - National Fire Protection Association
OSHA - Occupational Safety and Health Administration
PEL - Permissible Exposure Limits
ppm - Parts Per Million
PMCC - Pensky-Martin Closed Cup (flash point)
SARA - Superfund Amendments and Reauthorization Act Title I, II, III
TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

STRAIGHT DEEP CONDITIONING MASQUE

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: January 2, 2008

REVISION DATE:

SUPERSEDES:

FORMULA: TB-143-22

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Conditioner

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 16TREATMENT02; 16TREATMENT08; 16TREATMENT33;

05FOILSSHTREAT

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation and/or blurred vision.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: NA

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): NA

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: None

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required. If vapors are generated, respirator required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: White viscous conditioner.

STATE: Viscous Liquid

ODOR: Characteristic
PERCENT VOLATILE: >75% as water
SPECIFIC GRAVITY: 0.98
VISCOSITY: Min. 27,000 cps
EVAPORATION RATE: NA
VAPOR PRESSURE mm Hg @ 20°C: NA
BOILING POINT: NA
VAPOR DENSITY (Air=1): NA
SOLUBILITY IN WATER: Dispersible
pH VALUE: Min. 3.60
MELTING/FREEZING POINT: 0°C

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Extreme heat, open flames
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Carbon dioxide and carbon monoxide.
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Oxidizing agents.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	None
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Straight Deep Conditioner Treatment Masque
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC:

Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls
accepted)

IMDG PROPER SHIPPING NAME: None
IMDG HAZARD CLASS: None
IMDG LABELS REQUIRED: None
IMDG SECONDARY LABELS REQUIRED: None
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Straight Deep Conditioner Treatment Masque
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: None
EMS NUMBER: None
MFAG NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls
accepted)
IMDG PAGE NUMBER: None
UN/NA CODE: None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-); Acute and Fire
Hazard Ethane,1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings
Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection
Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from
different supplier sources considered to be dependable and is accurate to the best of our knowledge as to
the proper use and handling of this product under normal conditions. However, no representation, warranty,
or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy
himself as to the suitability and completeness of such information for his own particular use. We do not
accept liability for any loss or damage that may occur from the use of this information. Any use of this
product which is not in conformance with this MSDS or which involves using the product in combination
with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

STRAIGHT LEAVE-IN CONDITIONER SPRAY

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: January 2, 2008

REVISION DATE:

SUPERSEDES:

FORMULA: DS-131-48

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Conditioner

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 16LEAVEIN02; 16LEAVEIN05

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation and/or blurred vision.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: NA

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): NA

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: None

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required. If vapors are generated, respirator required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: White opaque water thin liquid.

STATE: Liquid

ODOR: Characteristic
PERCENT VOLATILE: >75% as water
SPECIFIC GRAVITY: Min. 0.99
VISCOSITY: NA
EVAPORATION RATE: NA
VAPOR PRESSURE mm Hg @ 20°C: NA
BOILING POINT: NA
VAPOR DENSITY (Air=1): NA
SOLUBILITY IN WATER: Soluble
pH VALUE: Min. 3.50
MELTING/FREEZING POINT: 0°C

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Extreme heat, open flames
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Carbon dioxide and carbon monoxide.
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Oxidizing agents.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	None
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Straight Leave-In Conditioner Spray
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC:

Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls
accepted)

IMDG PROPER SHIPPING NAME: None
IMDG HAZARD CLASS: None
IMDG LABELS REQUIRED: None
IMDG SECONDARY LABELS REQUIRED: None
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Straight Leave-In Conditioner Spray
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: None
EMS NUMBER: None
MFAG NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls
accepted)
IMDG PAGE NUMBER: None
UN/NA CODE: None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-); Acute and Fire
Hazard Ethane,1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings
Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection
Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from
different supplier sources considered to be dependable and is accurate to the best of our knowledge as to
the proper use and handling of this product under normal conditions. However, no representation, warranty,
or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy
himself as to the suitability and completeness of such information for his own particular use. We do not
accept liability for any loss or damage that may occur from the use of this information. Any use of this
product which is not in conformance with this MSDS or which involves using the product in combination
with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

STRAIGHT SHAMPOO

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: September 22, 2006
REVISION DATE: September 27, 2007
SUPERSEDES: September 22, 2006
FORMULA: DS-124-55-B
PREPARED AND REVISED BY: Jeff Staten
GENERIC/CHEMICAL NAME: Shampoo
PRODUCT TYPE/CHEMICAL FAMILY: NA
PRODUCT CODE: 16SHA02; 16SHA08; 16SHA10; 16SHA10N; 16SHA33; 26SHA33-N;
05FOILSSSHA; 05SSSHA-N
SYNONYMS: None
CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation and/or blurred vision.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: NA

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): NA

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: None

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required. If vapors are generated, respirator required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Off white viscous pearlized viscous liquid.

STATE: Viscous Liquid

ODOR: Characteristic
PERCENT VOLATILE: > 75% as water
SPECIFIC GRAVITY: 1.00
VISCOSITY: Min. 6,000 cps.
EVAPORATION RATE: NA
VAPOR PRESSURE mm Hg @ 20°C: NA
BOILING POINT: NA
VAPOR DENSITY (Air=1): NA
SOLUBILITY IN WATER: Dispersible
pH VALUE: 5.70
MELTING/FREEZING POINT: NA

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Extreme heat, open flames
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Carbon dioxide and carbon monoxide.
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Oxidizing agents.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	None
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Straight Shampoo
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC:

Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls
accepted)

IMDG PROPER SHIPPING NAME: None
IMDG HAZARD CLASS: None
IMDG LABELS REQUIRED: None
IMDG SECONDARY LABELS REQUIRED: None
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Straight Shampoo
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: None
EMS NUMBER: None
MFAG NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls
accepted)
IMDG PAGE NUMBER: None
UN/NA CODE: None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-); Acute and Fire
Hazard Ethane,1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings
Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection
Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from
different supplier sources considered to be dependable and is accurate to the best of our knowledge as to
the proper use and handling of this product under normal conditions. However, no representation, warranty,
or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy
himself as to the suitability and completeness of such information for his own particular use. We do not
accept liability for any loss or damage that may occur from the use of this information. Any use of this
product which is not in conformance with this MSDS or which involves using the product in combination
with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

STRAIGHT SHINE ON POLISHING GLOSS

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: September 22, 2006

REVISION DATE:

SUPERSEDES:

FORMULA: 20010608-030024A

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Shine Spray

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 16SHINE03

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation and/or blurred vision.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: NA

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): NA

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: None

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required. If vapors are generated, respirator required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: White opaque liquid.

STATE: Liquid

ODOR: Characteristic - Floral
PERCENT VOLATILE: > 95% as water
SPECIFIC GRAVITY: 0.99
VISCOSITY: Liquid
EVAPORATION RATE: As water
VAPOR PRESSURE mm Hg @ 20°C: NA
BOILING POINT: NA
VAPOR DENSITY (Air=1): NA
SOLUBILITY IN WATER: Dispersible
pH VALUE: 4.3 – 4.8
MELTING/FREEZING POINT: NA

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Extreme heat, open flames
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Carbon dioxide and carbon monoxide.
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Oxidizing agents.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	None
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Straight Shine On Polishing Gloss
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC:

Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls
accepted)

IMDG PROPER SHIPPING NAME: None
IMDG HAZARD CLASS: None
IMDG LABELS REQUIRED: None
IMDG SECONDARY LABELS REQUIRED: None
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Straight Shine On Polishing Gloss
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: None
EMS NUMBER: None
MFAG NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls
accepted)
IMDG PAGE NUMBER: None
UN/NA CODE: None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-); Acute and Fire
Hazard Ethane,1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings
Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection
Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from
different supplier sources considered to be dependable and is accurate to the best of our knowledge as to
the proper use and handling of this product under normal conditions. However, no representation, warranty,
or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy
himself as to the suitability and completeness of such information for his own particular use. We do not
accept liability for any loss or damage that may occur from the use of this information. Any use of this
product which is not in conformance with this MSDS or which involves using the product in combination
with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

STRAIGHT SHINE ON POLISHING GLOSS

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: September 22, 2006

REVISION DATE:

SUPERSEDES:

FORMULA: 20010608-030024A

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Shine Spray

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 16SHINE03

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation and/or blurred vision.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: NA

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): NA

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: None

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required. If vapors are generated, respirator required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: White opaque liquid.

STATE: Liquid

ODOR: Characteristic - Floral
PERCENT VOLATILE: > 95% as water
SPECIFIC GRAVITY: 0.99
VISCOSITY: Liquid
EVAPORATION RATE: As water
VAPOR PRESSURE mm Hg @ 20°C: NA
BOILING POINT: NA
VAPOR DENSITY (Air=1): NA
SOLUBILITY IN WATER: Dispersible
pH VALUE: 4.3 – 4.8
MELTING/FREEZING POINT: NA

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Extreme heat, open flames
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Carbon dioxide and carbon monoxide.
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Oxidizing agents.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	None
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Straight Shine On Polishing Gloss
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC:

Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls
accepted)

IMDG PROPER SHIPPING NAME: None
IMDG HAZARD CLASS: None
IMDG LABELS REQUIRED: None
IMDG SECONDARY LABELS REQUIRED: None
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Straight Shine On Polishing Gloss
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: None
EMS NUMBER: None
MFAG NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
Domestic North America 800-424-9300
International: 01-703-527-3887 (Collect calls
accepted)
IMDG PAGE NUMBER: None
UN/NA CODE: None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-); Acute and Fire
Hazard Ethane,1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings
Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection
Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from
different supplier sources considered to be dependable and is accurate to the best of our knowledge as to
the proper use and handling of this product under normal conditions. However, no representation, warranty,
or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy
himself as to the suitability and completeness of such information for his own particular use. We do not
accept liability for any loss or damage that may occur from the use of this information. Any use of this
product which is not in conformance with this MSDS or which involves using the product in combination
with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

STRAIGHT SMOOTH & SEAL

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: February 16, 2007
REVISION DATE: March 26, 2007
SUPERSEDES: February 16, 2007
FORMULA: TEL1701/L34487 55% VOC
PREPARED AND REVISED BY: Jeff Staten
GENERIC/CHEMICAL NAME: Straightening Hair Spray
PRODUCT TYPE/CHEMICAL FAMILY: NA
PRODUCT CODE: 16SMOOTH01; 16SMOOTH02; 16SMOOTH02-HW; 16SMOOTH08N-55HW;
16SMOOTH08N-55V; 16SMOOTH08-55HW, 16SMOOTH08-55V, 16SMOOTH-EU
SYNONYMS: None
CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Isobutane	75-28-5	28.0	1000	1000
Hydrofluorocarbon 152a	75-37-6	7.0	1000	ND
Ethanol	64-17-5	26.0	1000	ND
Cyclomethicone	69430-24-6	29.0	ND	ND

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation, and may result in irreversible damage.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: -30°F TCC (Propellant Only); Concentrate 36°F (EPA Method 1010)

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): LEL=1.8%; UEL=9.5%

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers may rupture and release flammable liquids and /or gasses if exposed to the heat of fire.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: 180 psig @ 131°F Max

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions.
Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Oily liquid

STATE: Aerosol

ODOR: Standard

PERCENT VOLATILE: 55 %

SPECIFIC GRAVITY: 0.870 – 0.890

VISCOSITY: Aerosol @ ambient

EVAPORATION RATE: >1

VAPOR PRESSURE mm Hg @ 20°C: Can pressure not to exceed 180 psig @ 131°F

BOILING POINT: Unknown

VAPOR DENSITY (Air=1): >1

SOLUBILITY IN WATER: Soluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120°F.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Not Applicable

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None Known

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible. Dispose of according to all federal, state and local regulations.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Consumer Commodity
U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	NAERG# 171

IATA PROPER SHIPPING NAME:	Consumer Commodity ORM-D (Domestic) Aerosols, Flammable, N.O.S., UN1950 (Export)
IATA HAZARD CLASS:	2.1
IATA LABELS REQUIRED:	Consumer Commodity ORM-D-AIR (Domestic) Flammable Gas (Export)
BILL OF LADING DESCRIPTION:	Consumer Commodity ORM-D-AIR, 9, ID8000 (Domestic) Aerosols, Flammable, N.O.S., 2.1, UN1950 (Export)
UN/NA CODE:	NA (Domestic) UN1950 (Export)
PACKING INSTRUCTIONS:	910 (Domestic) 203/Y203 (Export) Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Aerosols
IMDG HAZARD CLASS:	2.1
IMDG LABELS REQUIRED:	CARTON MUST BE MARKED "AEROSOLS"
IMDG SECONDARY LABELS REQUIRED:	Hollow Diamond with UN1950 Marked in Center
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Aerosol, 2, UN1950
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMS NUMBER:	2-13
MFAG NUMBER:	620
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	2102
UN/NA CODE:	UN1950

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-); Acute and Fire
Hazard Ethane,1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	4	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

STRONG HOLD HAIR SPRAY

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: December 12, 2006

REVISION DATE:

SUPERSEDES:

FORMULA: TEL4501/ L36220 55%VOC

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Hair Spray

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 30SPRAY09; 15SPRAY09-CN

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Ethanol	64-17-5	54.0	1000	1000
Hydrofluorocarbon 152a	75-37-6	39.0	1000	ND
Aminomethyl Propanol	124-68-5	1.0	None Established	

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Direct contact of product with eyes may cause irritation, and may result in irreversible damage.

SKIN CONTACT: Not Known

INHALATION: Not Known

INGESTION: If ingested, may cause nausea and vomiting. If in aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: -30°F TCC (Propellant Only); Concentrate 36°F (EPA Method 1010)

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): LEL=1.8%; UEL=9.5%

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers may rupture and release flammable liquids and /or gasses if exposed to the heat of fire.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: 180 psig @ 131°F Max

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions.
Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear Liquid, Straw

STATE: Aerosol

ODOR: Standard

PERCENT VOLATILE: 55 %

SPECIFIC GRAVITY: 0.805 – 0.825

VISCOSITY: Aerosol @ ambient

EVAPORATION RATE: >1

VAPOR PRESSURE mm Hg @ 20°C: Can pressure not to exceed 180 psig @ 131°F

BOILING POINT: Unknown

VAPOR DENSITY (Air=1): >1

SOLUBILITY IN WATER: Soluble

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling

CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120°F.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: Not Applicable

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None Known

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible. Dispose of according to all federal, state and local regulations.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Consumer Commodity
U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	NAERG# 171

IATA PROPER SHIPPING NAME:	Consumer Commodity ORM-D (Domestic)
IATA HAZARD CLASS:	Aerosols, Flammable, N.O.S., UN1950 (Export)
IATA LABELS REQUIRED:	2.1
BILL OF LADING DESCRIPTION:	Consumer Commodity ORM-D-AIR (Domestic)
	Flammable Gas (Export)
	Consumer Commodity ORM-D-AIR, 9, ID8000 (Domestic)
	Aerosols, Flammable, N.O.S., 2.1, UN1950 (Export)
UN/NA CODE:	NA (Domestic)
	UN1950 (Export)
PACKING INSTRUCTIONS:	910 (Domestic)
	203/Y203 (Export)
	Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMERGENCY RESPONSE NUMBERS:	CHEMTREC:
	Domestic North America 800-424-9300
	International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Aerosols
IMDG HAZARD CLASS:	2.1
IMDG LABELS REQUIRED:	CARTON MUST BE MARKED "AEROSOLS"
IMDG SECONDARY LABELS REQUIRED:	Hollow Diamond with UN1950 Marked in Center
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Aerosol, 2, UN1950
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMS NUMBER:	2-13
MFAG NUMBER:	620
EMERGENCY RESPONSE NUMBERS:	CHEMTREC:
	Domestic North America 800-424-9300
	International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	2102
UN/NA CODE:	UN1950

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory

SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane, 1,1-Difluoro-); Acute and Fire Hazard Ethane, 1,1-Difluoro-, Ethanol)

SARA TITLE III, Section 313: None noted

CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	4	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

STRONG PLASTER STRONG HOLD SHAPING BALM

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: February 2, 2007

REVISION DATE:

SUPERSEDES:

FORMULA: AM-78A 1.3% VOC

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Styling Balm

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 30PLASTER01; 30PLASTER04

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation and/or blurring of vision.

SKIN CONTACT: Can cause occasional mild irritation.

INHALATION: Unlikely to pose problems when used as directed.

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: Flush with plenty of water for 15 minutes, if irritation persists, get medical attention.

SKIN CONTACT: If irritation is experienced, wash exposed area thoroughly with water. If irritation persists, get medical assistance. If burned by contact with hot material, cool burned area as quickly as possible by immersing or applying in cold water. Get prompt medical attention.

INHALATION: Not applicable.

INGESTION: Do not induce vomiting, drink 3-4 glasses of water. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or call Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: ND

AUTOIGNITION TEMPERATURE: ND

FLAMMABILITY LIMITS IN AIR (% V): ND

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, and water.

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: ND

Section VI - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Caution! Floor may become slippery. Absorb spilled material with inert material such as sawdust, sand, or earth. Final cleaning may require use of steam, solvents, or detergents. Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. Store at temperatures below 75°F. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None required

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Keep product in tightly closed containers. Keep product away from children's reach. Do not expose to elevated temperatures. Keep out of direct sunlight or open flame. Read and follow all label directions and cautions. Use only as directed

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Off white smooth thick cream.

STATE: Cream

ODOR: Characteristic – Floral

PERCENT VOLATILE: ND

SPECIFIC GRAVITY: Approx. 0.97

VISCOSITY: 50,000 – 60,000 cps

MELTING/FREEZING POINT: ND
EVAPORATION RATE: ND
VAPOR PRESSURE mm Hg @ 20°C: ND
BOILING POINT: ND
VAPOR DENSITY (Air=1): ND
SOLUBILITY IN WATER: Partially soluble
pH VALUE: 5.5 – 6.5

Section X - REACTIVITY

STABILITY: Stable
CONDITIONS TO AVOID INSTABILITY: Extreme temperatures.
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: None
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: None

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	Not regulated.
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Strong Plaster Strong Hold Shaping Balm
UN/NA CODE:	None
PACKING INSTRUCTIONS:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Not Regulated.
-----------------------------------	----------------

IMDG HAZARD CLASS:	None
IMDG LABELS REQUIRED:	None
IMDG SECONDARY LABELS REQUIRED:	None
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Strong Plaster Strong Hold Shaping Balm
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	None
EMS NUMBER:	None
MFAG NUMBER:	None
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	None
UN/NA CODE:	None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-); Acute and Fire Hazard Ethane,1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists
CAS# - Chemical Abstract System No.
DOT -Department Of Transportation
IMDG - International Maritime Dangerous Goods code

NA - Not Applicable
ND - Not Determined
NFPA - National Fire Protection Association
OSHA - Occupational Safety and Health Administration
PEL - Permissible Exposure Limits
ppm - Parts Per Million
PMCC - Pensky-Martin Closed Cup (flash point)
SARA - Superfund Amendments and Reauthorization Act Title I, II, III
TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
20621 Prairie Avenue
Chatsworth, CA 91311
(818) 435-0800

STRONG STRENGTHENING CONDITIONER

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: February 21, 2007

REVISION DATE:

SUPERSEDES:

FORMULA: M120

PREPARED AND REVISED BY: Jeff Staten

GENERIC/CHEMICAL NAME: Conditioner

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 30CON01; 30CON08; 30CON33; 30CON64; 30X0703-RG; 30X0703-01

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 9232 Eton Avenue, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
None	None	None	None	None

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation and/or blurring of vision.

SKIN CONTACT: May cause irritation.

INHALATION: Unlikely to pose problems when used as directed.

INGESTION: If ingested, may cause nausea and/or vomiting.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. Remove any contaminated clothing. If symptoms persist or there is any visual impairment, seek medical attention. Launder contaminated clothing before re-use.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. Keep individual warm and quiet. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Seek immediate medical attention.

INGESTION: Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth. Place individual on left side with head down. Contact a physician. Medical facility or poison control center, for emergency advice. Do not induce vomiting unless specifically directed by qualified personnel. Do not leave individual unattended.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: NA

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): NA

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: NA

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children. Use only as directed.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: Not indicated for routine use.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Off white to cream pearlescent liquid.

STATE: Liquid

ODOR: Characteristic

PERCENT VOLATILE: NA

SPECIFIC GRAVITY: Approx. 1.0

VISCOSITY: NA

EVAPORATION RATE: NA

VAPOR PRESSURE mm Hg @ 20°C: NA

BOILING POINT: NA

VAPOR DENSITY (Air=1): NA

SOLUBILITY IN WATER: Soluble

pH VALUE: Approx. 4.5

Section X - REACTIVITY

STABILITY: Stable under normal conditions

CONDITIONS TO AVOID INSTABILITY: Elevated temperatures and/or direct sunlight exposure.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: None known

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Strong oxidizers.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Not Regulated
U. S. DOT HAZARD CLASS:	None
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	None

IATA PROPER SHIPPING NAME:	None
IATA HAZARD CLASS:	None
IATA LABELS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Strong Strengthening Conditioner
UN/NA CODE:	None

PACKING INSTRUCTIONS: None
EMERGENCY RESPONSE GUIDE NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
 Domestic North America 800-424-9300
 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME: None
IMDG HAZARD CLASS: None
IMDG LABELS REQUIRED: None
IMDG SECONDARY LABELS REQUIRED: None
IMDG PLACARDS REQUIRED: None
BILL OF LADING DESCRIPTION: Strong Strengthening Conditioner
MARINE POLLUTANT: No
EMERGENCY RESPONSE GUIDE NUMBER: None
EMS NUMBER: None
MFAG NUMBER: None
EMERGENCY RESPONSE NUMBERS: CHEMTREC:
 Domestic North America 800-424-9300
 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER: None
UN/NA CODE: None

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane, 1,1-Difluoro-); Acute and Fire Hazard Ethane, 1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	0	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this

product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
 21551 Prairie Street
 Chatsworth, CA 91311
 (818) 435-0800

BIG SEXY HAIR VOLUMIZING DRY SHAMPOO

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: March 20, 2009

REVISION DATE: N/A

SUPERSEDES:

FORMULA: 152-22D

PREPARED AND REVISED BY: Alison Robinson

GENERIC/CHEMICAL NAME: Shampoo

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE:

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 21551 Prairie Street, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Alcohol Denatured, SDA 40-B	64-17-5	26%	1000	1000
Isobutane	75-28-5	30.4%	800	ND
Propane	74-98-6	20%		

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause transient irritation.

SKIN CONTACT: May cause mild irritation.

INHALATION: May cause mild irritation to the upper respiratory system.

INGESTION: If ingested, may cause nausea and vomiting.

Section IV - FIRST AID

EYE CONTACT: If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

SKIN CONTACT: Clean affected areas with mild soap and water. If symptoms persist, get medical attention.

INHALATION: If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

INGESTION: Give several glasses of water to dilute. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Seek medical attention or Poison Control Center.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: NA

AUTOIGNITION TEMPERATURE: NA

FLAMMABILITY LIMITS IN AIR (% V): NA

EXTINGUISHING MEDIA: Carbon Dioxide, Dry Chemical, Water Spray

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool by spraying them with water until the fire has been extinguished. A self-contained breathing apparatus and protective clothing should be worn when fighting fires.

UNUSUAL FIRE & EXPLOSION HAZARDS: Closed containers exposed to excessive heat may rupture. Do not crush containers.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers. Keep out of reach of children.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required. If vapors are generated, respirator required.

VENTILATION: Normal Ventilation adequate for recommended uses.

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Liquid Spray Mist
STATE: Viscous Liquid
ODOR: Characteristic
PERCENT VOLATILE: > 50% as water
SPECIFIC GRAVITY: 1.03
VISCOSITY: Min. 10,000 cps
EVAPORATION RATE: NA
VAPOR PRESSURE mm Hg @ 20°C: NA
BOILING POINT: >212°C
VAPOR DENSITY (Air=1): NA
SOLUBILITY IN WATER: Soluble
pH VALUE: Min. 5.60
MELTING/FREEZING POINT: 0°C

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Extreme heat, open flames
HAZARDOUS POLYMERIZATION: Will not occur
HAZARDOUS DECOMPOSITION PRODUCTS: None known.
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Strong acids and oxidizing agents.

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Consumer Commodity
U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	NAERG# 171

IATA PROPER SHIPPING NAME:	Consumer Commodity ORM-D (Domestic) Aerosols, Flammable, N.O.S., UN1950 (Export)
IATA HAZARD CLASS:	2.1
IATA LABELS REQUIRED:	Consumer Commodity ORM-D-AIR (Domestic) FlammableGas (Export)

BILL OF LADING DESCRIPTION:	Consumer Commodity ORM-D-AIR, 9, ID8000 (Domestic)
UN/NA CODE:	NA (Domestic) UN1950 (Export)
PACKING INSTRUCTIONS:	910 (Domestic) 203/Y203 (Export) Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Aerosols
IMDG HAZARD CLASS:	2.1
IMDG LABELS REQUIRED:	CARTON MUST BE MARKED "AEROSOLS"
IMDG SECONDARY LABELS REQUIRED:	Hollow Diamond with UN1950 Marked in Center
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Aerosol, 2, UN1950
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMS NUMBER:	2-13
MFAG NUMBER:	620
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	2102
UN/NA CODE:	UN1950

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane, 1,1-Difluoro-); Acute and Fire
Hazard Ethane, 1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings
Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection
Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY: NPCA-HMIS/NFPA 704
HEALTH	2	NA	4=Severe/Extreme
FLAMMABILITY	3	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists
CAS# - Chemical Abstract System No.
DOT -Department Of Transportation
IMDG - International Maritime Dangerous Goods code
NA - Not Applicable
ND - Not Determined
NFPA - National Fire Protection Association
OSHA - Occupational Safety and Health Administration
PEL - Permissible Exposure Limits
ppm - Parts Per Million
PMCC - Pensky-Martin Closed Cup (flash point)
SARA - Superfund Amendments and Reauthorization Act Title I, II, III
TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993



Customer No.: 222397
Shipping Address:
 21551 Prairie Street
 Chatsworth, CA 91311
 (818) 435-0800

WEATHER PROOF HAIRSPRAY

Section I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS FIRST PREPARATION DATE: January 18, 2012

REVISION DATE: N/A

SUPERSEDES: N/A

FORMULA: 175-74D

PREPARED AND REVISED BY: Alison Robinson

GENERIC/CHEMICAL NAME: Hair Spray

PRODUCT TYPE/CHEMICAL FAMILY: NA

PRODUCT CODE: 15AHS04;15AHS01

SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, 21551 Prairie Street, Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTREC: Domestic North America 800-424-9300; International: 703-527-3887 (collect calls accepted)

Section II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percent	Exposure Limits in Air	
			TLV ppm	PEL ppm
Butane	106-97-8	10 – 30%	800	1000
Isobutane	72-28-5	0.1 – 5%	800	800
Alcohol Denat.	64-17-5	30 -60%	1000	1000
Hydrofluorocarbon 152a	75-37-6	20 -60%	Not Established	

Section III - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Liquid and vapor may cause mild to severe eye irritation.

SKIN CONTACT: Repeated contact may cause irritation and drying of the skin. Contact with propellant may cause freeze burns.

INHALATION: Vapor may cause irritation to the upper respiratory tract

INGESTION: If ingested, may cause gastrointestinal irritation. In aerosol form, ingestion is not likely.

Section IV - FIRST AID

EYE CONTACT: Flush eyes with plenty of water to ensure complete flushing. If irritation persists, seek medical attention

SKIN CONTACT: Clean affected areas thoroughly with mild soap and water. If irritation persists, seek medical attention.

INHALATION: Remove victim to fresh air immediately. If breathing is difficult, seek medical attention.

INGESTION: Drink enough water to dilute. Consult a physician immediately.

Section V - FIRE FIGHTING MEASURES

FLASH POINT: -30°F TCC (Propellant Only)

AUTOIGNITION TEMPERATURE: N/A

FLAMMABILITY LIMITS IN AIR (% V): LEFL = 1.8%; UEL= 9.5%

EXTINGUISHING MEDIA: Carbon Dioxide, Foam, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Fire should be fought from a safe distance. Firefighters should wear full face, self-containing breathing apparatus and full protective clothing.

UNUSUAL FIRE & EXPLOSION HAZARDS: Closed containers exposed to excessive heat may rupture. Do not crush or puncture containers.

Section VI - ACCIDENTAL RELEASE MEASURES

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors. Minimize skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

Section VII - STORAGE AND HANDLING

STORAGE TEMPERATURE: Ambient

STORAGE/TRANSPORT PRESSURE: 180 psig @131°F Max

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep away from excessive heat, open flames, sparks, and other possible source of ignition. Do not store in damaged or unmarked containers or storage devices. For warehouse storage, pallets and cases should be placed to avoid damage or rupture from material handling equipment.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None Required.

VENTILATION: Use with adequate ventilation

PROTECTIVE CLOTHING: Not necessary except as a good industrial practice.

EYE PROTECTION: Not necessary except as a good industrial practice.

OTHER PRECAUTIONS: Avoid excessive inhalation. Read and follow all label directions and cautions. Use only as directed.

Section IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear Liquid
STATE: Aerosol
ODOR: Standard
PERCENT VOLATILE: 55%
SPECIFIC GRAVITY: 0.80 – 0.82
VISCOSITY: Aerosol @ambient
EVAPORATION RATE: N/A
VAPOR PRESSURE mm Hg @ 20°C: Can pressure not to exceed 180 psig @131° F
BOILING POINT: Unknown
VAPOR DENSITY (Air=1): >1
SOLUBILITY IN WATER: Soluble
pH VALUE: ND
MELTING/FREEZING POINT: ND

Section X - REACTIVITY

STABILITY: Stable under normal conditions of storage and handling
CONDITIONS TO AVOID INSTABILITY: Do not store containers in direct sunlight or where conditions will heat them above 120° F
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: N/A
MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Strong oxidizing agents

Section XI - TOXICOLOGICAL INFORMATION

No specific toxicological data is available for this product. Please refer to Section III for available information on potential health effects.

Section XII - ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information

Section XIII - DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with federal, state and local regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies. Empty containers may be disposed of as normal refuse. Please recycle whenever possible. Dispose of according to all federal, state and local regulations.

Section XIV - TRANSPORT INFORMATION

U. S. DOT PROPER SHIPPING NAME:	Consumer Commodity
U. S. DOT HAZARD CLASS:	ORM-D
U. S. DOT LABELS REQUIRED:	None
U. S. DOT PLACARDS REQUIRED:	None
EMERGENCY RESPONSE GUIDE NUMBER:	NAERG #171

IATA PROPER SHIPPING NAME:	Consumer Commodity ORM-D (Domestic) Aerosols, Flammable, N.O.S., UN1950 (Export)
IATA HAZARD CLASS:	2.1

IATA LABELS REQUIRED:	Consumer Commodity ORM-D-Air (Domestic) Flammable Gas (Export)
BILL OF LADING DESCRIPTION:	Consumer Commodity ORM-D-AIR, 9, ID8000 (Domestic) Aerosols, Flammable, N.O.S., 2.1, UN 1950 (Export)
UN/NA CODE:	NA (Domestic) UN1950 (Export)
PACKING INSTRUCTIONS:	910 (Domestic) 203/Y203 (Export) Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)

IMDG PROPER SHIPPING NAME:	Aerosols
IMDG HAZARD CLASS:	2.1
IMDG LABELS REQUIRED:	CARTON MUST BE MARKED "AEROSOLS"
IMDG SECONDARY LABELS REQUIRED:	Hollow Diamond with UN1950 Marked in Center
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Aerosol, 2, UN1950
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMS NUMBER:	2 - 13
MFAG NUMBER:	620
EMERGENCY RESPONSE NUMBERS:	CHEMTREC: Domestic North America 800-424-9300 International: 01-703-527-3887 (Collect calls accepted)
IMDG PAGE NUMBER:	2102
UN/NA CODE:	UN1950

Section XV - REGULATORY INFORMATION

TSCA: Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-);Acute and Fire
Hazard (Ethane,1,1-Difluoro-, Ethanol)
SARA TITLE III, Section 313: None noted
CALIFORNIA PROPOSITION 65: Not Regulated

Section XVI - OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings
Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection
Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY:NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	3	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS# - Chemical Abstract System No.

DOT -Department Of Transportation

IMDG - International Maritime Dangerous Goods code

NA - Not Applicable

ND - Not Determined

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limits

ppm - Parts Per Million

PMCC - Pensky-Martin Closed Cup (flash point)

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

TLV - Threshold Limit Value

This MSDS has been formatted to be consistent with ANSI Standard Z400.1-1993